

LSP

# PRODUCT CATALOG

By Category

LAST UPDATED DECEMBER 2022



# Contact Us

## HEADQUARTERS

Lerd Singh Pharmaceutical Fact., Ltd., Part.  
922 Sukhumvit 50, Soi Khasemsuwan,  
Phra Khanong, Klong toei,  
Bangkok 10260  
Thailand

Office hours  
8:00 to 17:00 GMT +7  
Mondays to Saturdays (excluding public holidays)

## TELEPHONE

+66-2-331-1958  
+66-2-331-1962

## FAX

+66-2-742-8989



<https://www.lsp.co.th>

# Table of Contents

## Pharmaceuticals

### Gastrointestinal & Hepatobiliary System

- 06 Antacids, Antireflux Agents & Antiulcerants
- 09 GIT Regulators, Antiflatulents & Anti-Inflammatories
- 11 Antispasmodics
- 12 Antidiarrheals
- 13 Laxatives & Purgatives
- 15 Anorectal Preparations

### Cardiovascular & Hematopoietic System

- 17 Beta Blockers
- 18 Peripheral Vasodilators & Cerebral Activators
- 19 Haemarrheologicals

### Respiratory System

- 21 Antiasthmatic Preparations
- 23 Cough & Cold Preparations

### Central Nervous System

- 30 Antidepressants
- 31 Antiemetics & Antivertigo Drugs
- 32 Analgesics & Antipyretics
- 37 Nonsteroidal Anti-Inflammatory Drugs (NSAIDs)
- 42 Antimigraine Preparations
- 43 Nootropics & Neurotonics / Neurotrophics

### Musculo-Skeletal System

- 45 Hyperuricemia & Gout Preparations
- 46 Muscle Relaxants

### Hormones

- 49 Corticosteroid Hormones
- 50 Anabolic Agents

### Infections

- 52 Antibiotics
  - Penicillins
  - Cephalosporins
  - Macrolides
  - Quinolones
  - Tetracyclines
- 63 Antifungals
- 64 Antivirals
- 65 Antiparasitics
- 66 Antiamoebics

### Endocrine & Metabolic System

- 68 Antidiabetic Agents
- 70 Antihistamines & Antiallergics

### Nutrition

- 75 Electrolytes & Minerals

### Ear & Mouth / Throat

- 77 Ear Preparations
- 78 Mouth / Throat Preparations

### Dermatological Therapy

- 80 Topical Antibiotics
- 81 Topical Antivirals
- 82 Topical Antifungals & Antiparasitics
- 84 Topical Anti-Infectives with Corticosteroids
- 85 Topical Corticosteroids

### Vitamins & Minerals

- 89 Multivitamins / with Minerals
- 92 Vitamin B
- 93 Antianemics (Pre & Post Natal Vitamins & Minerals)

### Cosmetics

- 95 Cosmetics

### Food Supplements

- 97 Food Supplements

# PHARMACEUTICALS



# Gastrointestinal & Hepatobiliary System

Antacids, Antireflux Agents & Antiulcerants  
GIT Regulators, Antiflatulents & Anti-Inflammatories  
Antispasmodics  
Antidiarrheals  
Laxatives & Purgatives  
Anorectal Preparations



## Cimegel

**Each 1 ml contains:**

Cimetidine 10 mg

**Indications:** For relieves of symptoms associated with hyperacidity including heartburn acid indigestion and sour stomach, benign gastric and duodenal ulcer, gastroesophageal reflux.

**Packaging:** 24 x 240 ml

Antacids, Antireflux Agents & Antiulcerant



## Famotin-F20 Tablets

**Each tablet contains:**

Famotidine 20 mg

**Indications:** Duodenal ulcer, benign gastric ulcer, Zollinger-Ellison syndrome.

**Packaging:** 1000 tablets

Antacids, Antireflux Agents & Antiulcerants



## Famotin-F40 Tablets

**Each tablet contains:**

Famotidine 40 mg

**Indications:** Duodenal ulcer, benign gastric ulcer, Zollinger-Ellison syndrome.

**Packaging:** 1000 tablets

Antacids, Antireflux Agents & Antiulcerants



## L.S.P. Tablets

**Each tablet contains:**

Magnesium Hydroxide 300 mg

**Indications:** Antacid and Laxative.

**Packaging:** 1000 tablets

Antacids, Antireflux Agents & Antiulcerants



## Liquid Zantadine 200

Each 1 ml contains:

Cimetidine 10 mg

**Indications:** For relieves of symptoms associated with hyperacidity including heartburn acid indigestion and sour stomach, benign gastric and duodenal ulcer, gastroesophageal reflux.

**Packaging:** 24 x 240 ml

Antacids, Antireflux Agents & Antiulcerants



## Liquid Zantagel Suspension

Each 1 ml contains:

Cimetidine 10 mg

**Indications:** For relieves of symptoms associated with hyperacidity including heartburn acid indigestion and sour stomach, benign gastric and duodenal ulcer, gastroesophageal reflux.

**Packaging:** 24 x 240 ml

Antacids, Antireflux Agents & Antiulcerants



## Milk Of Magnesia Tablets

Each tablet contains:

Magnesium Hydroxide 300 mg

**Indications:** Use short-term treatment of symptoms of hyperacidity, laxative.

**Packaging:** 1000 tablets

Antacids, Antireflux Agents & Antiulcerants



## Sodamint Tablets

Each tablet contains:

Sodium Bicarbonate 300 mg

Peppermint Oil 0.003 ml

**Indications:** Antacid, Systemic Alkalinating substance.

**Packaging:** 1000 tablets

Antacids, Antireflux Agents & Antiulcerants



## Sucrafen Tablets

**Each tablet contains:**


Sucralfate 1 g

**Indications:**

1. Short-term (up to 8 weeks) treatment of duodenal ulcer and prevention of duodenal ulcer recurrence.
2. Short-term treatment of benign gastric ulcer.
3. Treatment of gastroesophageal reflux disease.

**Packaging:** 25 x 10 tablets (blister pack)

Antacids, Antireflux Agents & Antiulcerants



## Amato Tablets

Each tablet contains:

Amylase (Diastase)	80 mg	Scopolia Extract	2.5 mg	Orange Oil	0.3 mg
Thiamine Mononitrate	1 mg	Cinnamon Oil	0.3 mg	Fennel Oil	0.3 mg
Sodium Bicarbonate	80 mg	Clove Oil	0.3 mg	Menthol	1.0 mg
Calcium Carbonate Precipitated	80 mg	Ginger Oil	0.3 mg		

**Indications:** Gastric pain, heart-burn, belching hyperacidity, acute and chronic gastritis, other gastroenteric symptoms due to dyspepsia.

**Packaging:** 1000 tablets

GIT Regulators, Antiflatulents & Anti-Inflammatories



## Cisapin Tablets

Each tablet contains:

Cisapride 5 mg

**Indications:** Gastroparesis, digestive discomfort, gastro-oesophageal reflux disorder. Restoration of colonic propulsive motility as a long-term treatment of chronic constipation.

**Packaging:** 500 tablets

GIT Regulators, Antiflatulents & Anti-Inflammatories



## Defoama Drops

(Peppermint Flavor)

Each 0.6 ml (1 dropperful) contains:

Simethicone 40 mg

**Indications:** Relief of abdominal distention due to entrapped gas in the gastrointestinal tract.

**Packaging:** 12 x 15 ml

GIT Regulators, Antiflatulents & Anti-Inflammatories



## Defogel (125 mg) Capsules

Each capsule contains:

Simethicone 125 mg

**Indications:** Relief of abdominal distention due to entrapped gas in the gastrointestinal tract.

**Packaging:** 10 x 10 capsules (blister pack)

GIT Regulators, Antiflatulents & Anti-Inflammatories



## Defogel (180 mg) Capsules

Each capsule contains:

Simethicone 180 mg

**Indications:** Relief of abdominal distention due to entrapped gas in the gastrointestinal tract.

**Packaging:** 25 x 10 capsules (blister pack)

GIT Regulators, Antiflatulents & Anti-Inflammatories



## Domilium Suspension

Each 5 ml contains:

Domperidone 5 mg

**Indications:** Nausea and vomiting of various causes e.g. post-operative, radiotherapy, hiccups.

**Packaging:** 50 x 60 ml

GIT Regulators, Antiflatulents & Anti-Inflammatories



## Domilium-M Tablets

Each tablet contains:

Domperidone Maleate equivalent to Domperidone 10 mg

**Indications:** Symptomatic treatment of nausea, vomiting, or other symptoms associated with delayed gastric emptying.

**Packaging:** 1000 tablets

GIT Regulators, Antiflatulents & Anti-Inflammatories



## SpasVerine Soft Gelatin Capsules

Each capsule contains:

Alverine Citrate 60 mg

Simethicone 300 mg

**Indications:** Antispasmodic that reduces intestinal gas, relief of GI spasm and distension, bowel disturbances and intestinal discomfort related to irritable bowel syndromes.

**Packaging:** 10 x 10 capsules (blister pack)

GIT Regulators, Antiflatulents & Anti-Inflammatories



## Sipascol Syrup

(Strawberry Flavor)

**Each 5 ml contains:**

Dicyclomine HCl 5 mg  
Simethicone 50 mg

**Indications:** Antispasmodic.

**Packaging:** 12 x 60 ml

50 x 60 ml

Antispasmodics



## Utergan Tablets

**Each tablet contains:**

Dicyclomine HCl 10 mg  
Mefenamic Acid 250 mg

**Indications:** Painful spasm of smooth muscle in dysmenorrhea, gastro-intestinal tract, biliary and renal colic.

**Packaging:** 1000 tablets

Antispasmodics



## Diargel Suspension

**Each 5 ml contains:**

Activated Attapulgite 500 mg

**Indications:** Symptomatic treatment of mild to moderate acute diarrhea as an adjunct to fluid supplement.

**Packaging:** 50 x 60 ml

Antidiarrheals



## Funide Suspension

(Pineapple Flavor)


**Each 5 ml contains:**

Nifuroxazide 218 mg

**Indications:** For the treatment of acute and chronic diarrhea, dysentery, inflammatory colitis.

**Packaging:** 12 x 60 ml  
50 x 60 ml

Antidiarrheals



## Bisadyl-R Tablets

Each enteric coated tablet contains:

Bisacodyl 5 mg

**Indications:** Constipation.

**Packaging:** 500 tablets

Laxatives & Purgatives



## Dioctol Capsule

Each capsule contains:

Docusate Sodium 100 mg

**Indications:** For relief of occasional constipation. The effect is usually seen within 1-3 days.

**Packaging:** 10 x 10 capsules (blister pack)

Laxatives & Purgatives



## Dioctol Syrup

(Vanilla + Peppermint Flavor)

Each 5 ml contains:

Docusate Sodium 20 mg

**Indications:** Stool softening laxative.

**Packaging:** 50 x 60 ml

Laxatives & Purgatives



## Glymorin 1500 Suppositories

Each suppository contains:

Glycerin 1500 mg

**Indications:** Laxative.

**Packaging:** 10 pcs

Laxatives & Purgatives



## Glymorin Suppositories

Each suppository contains:

Glycerin 2320 mg

Indications: Laxative.

Packaging: 10 pcs

Laxatives & Purgatives



## Glymorin Children Suppositories

Each suppository contains:

Glycerin 1365 mg

Indications: Laxative.

Packaging: 10 pcs

Laxatives & Purgatives



## Proctyl Ointment

Each 1 g contains:

Hydrocortisone Acetate	5 mg
Zinc Oxide	200 mg
Benzocaine	10 mg
Ointment Base q.s.	1 g

**Indications:** The local management for relieve inflammation, haemorrhoids and pruritus ani.

**Packaging:** 12 x 10 grams

Anorectal Preparations



## Proctyl Suppositories

Each suppository contains:

Hydrocortisone Acetate	7.5 mg
Zinc Oxide	250 mg
Benzocaine	40 mg

**Indications:** Internal and external hemorrhoids, itching and proctitis.

**Packaging:** 10 pcs

Anorectal Preparations

# **Cardiovascular & Hematopoietic System**

Beta Blockers

Diuretics

Peripheral Vasodilators & Cerebral Activators

Haemarrheologicals



## Modumed Tablets

Each tablet contains:

Hydrochlorothiazide	25 mg
Amiloride HCl	2.5 mg
Timolol Maleate	10 mg

Indications: Hypertension.

Packaging: 500 tablets

Beta Blockers



## Cinzine Tablets

Each tablet contains:

Cinnarizine 25 mg

**Indications:** Cerebral and peripheral circulatory disorder, equilibrium disturbances, vertigo.

**Packaging:** 1000 tablets

Peripheral Vasodilators & Cerebral Activators



## Cinzine-y Tablets

Each tablet contains:

Cinnarizine 25 mg

**Indications:** Cerebral and peripheral circulatory disorder, equilibrium disturbances, vertigo.

**Packaging:** 1000 tablets

10 x 10 tablets (blister pack)

Peripheral Vasodilators & Cerebral Activators



## Trenmed Tablets

**Each tablet contains:**

Pentoxyphylline 100 mg

**Indications:** Vasodilator, used in the treatment of peripheral vascular disorders.

**Packaging:** 1000 tablets

Haemarrheologicals

# **Respiratory System**

**Antiasthmatic Preparations  
Cough & Cold Preparations**



## Asthtermine Tablets

**Each tablet contains:**

Terbutaline Sulfate 2.5 mg

**Indications:** Relief of bronchospasm in respiratory diseases such as asthma, asthmatic bronchitis.

**Packaging:** 1000 tablets

Antiasthmatic Preparations



## Cintamol Expectorant

(Raspberry Flavor)

**Each 5 ml contains:**

Salbutamol Sulphate equivalent to Salbutamol 1 mg

Guaifenesin 50 mg

**Indications:** Bronchospasm in bronchial asthma, chronic bronchitis emphysema.

**Packaging:** 12 x 60 ml

50 x 60 ml

Antiasthmatic Preparations



## Cintamol Syrup

(Strawberry Flavor)

**Each 5 ml contains:**

Salbutamol Sulphate equivalent to Salbutamol 2 mg

**Indications:** Bronchospasm in bronchial asthma, chronic bronchitis and emphysema.

**Packaging:** 50 x 60 ml

Antiasthmatic Preparations



## Cintamol Tablets

**Each tablet contains:**

Salbutamol Sulphate equivalent to Salbutamol Base 2 mg

**Indications:** Sympathomimetic used as a bronchodilator.

**Packaging:** 1000 tablets

Antiasthmatic Preparations



## Respan Expectorant

(Raspberry Flavor)

**Each 5 ml contains:**

Terbutaline Sulfate 1.5 mg  
Guaifenesin 66.5 mg

**Indications:** Expectorant and bronchodilator in reversible airway obstruction and bronchial asthma.

**Packaging:** 50 x 60 ml

Antiasthmatic Preparations



## Respan Syrup

(Strawberry Flavor)

**Each 5 ml contains:**

Terbutaline Sulfate 1.5 mg

**Indications:** Bronchodilator in reversible airway obstruction, and bronchial asthma.

**Packaging:** 50 x 60 ml

Antiasthmatic Preparations



## Toditen Syrup

(Grape + Menthol Flavor)

**Each 5 ml contains:**

Ketotifen Fumarate equivalent to Ketotifen 1 mg

**Indications:** Long term prevention of:

- Bronchial asthma.
- Allergic bronchitis.
- Asthmatic symptom associated with hay fever.

**Packaging:** 50 x 60 ml

Antiasthmatic Preparations



## Toditen Tablets

**Each tablet contains:**

Ketotifen 1 mg

**Indications:** Long term prevention of bronchial asthma, allergic bronchitis, asthmatic symptom associated with hay fever.

**Packaging:** 1000 tablets

Antiasthmatic Preparations



## Bimed Syrup

(Grape Flavor)

**Each 5 ml contains:**

Brompheniramine Maleate	2 mg	Glyceryl Guaiacolate	100 mg
Phenylephrine Hydrochloride	5 mg	Bromhexine Hydrochloride	4 mg

**Indications:** Expectorant, Decongestant.

**Packaging:** 12 x 60 ml

50 x 60 ml

Cough & Cold Preparations



## Bimed Syrup

(Grape Flavor)

**Each 5 ml contains:**

Brompheniramine Maleate	2 mg	Guaifenesin	100 mg
Phenylephrine Hydrochloride	5 mg	Bromhexine Hydrochloride	4 mg

**Indications:** Expectorant, Decongestant.

**Packaging:** 12 x 60 ml

50 x 60 ml

Cough & Cold Preparations



## Bimed Tablets

**Each tablet contains:**

Bromhexine HCl	8 mg	Phenylephrine HCl	10 mg
Brompheniramine Maleate	4 mg	Guaifenesin	100 mg

**Indications:** Symptomatic relief of common cold and expectorant.

**Packaging:** 1000 tablets

10 x 10 tablets (blister pack)

Cough & Cold Preparations



## Bromsil Syrup

(Cherry Flavor)

**Each 5 ml contains:**

Bromhexine HCl	4 mg
----------------	------

**Indications:** Mucolytic in tracheobronchitis, emphysema with bronchitis, pneumoconiosis, chronic inflammatory pulmonary conditions, bronchitis with bronchospasm, asthma. During acute exacerbations of bronchitis, Bromsil should be given with the appropriate antibiotic.

**Packaging:** 50 x 60 ml

Cough & Cold Preparations



## Busocort Nasal Spray (32 Micrograms Budesonide/Dose)

**Each 1 ml contains:**

Budesonide 0.32 mg

**Indications:** Seasonal allergic and allergic/non-allergic perennial rhinitis. Treatment of nasal polyps. Prevention of nasal polyps after polypectomy.

**Packaging:** 12 x 120 doses

Cough & Cold Preparations



## Busocort Nasal Spray (64 Micrograms Budesonide/Dose)

**Each 1 ml contains:**

Budesonide 0.64 mg

**Indications:** Seasonal allergic and allergic/non-allergic perennial rhinitis. Treatment of nasal polyps. Prevention of nasal polyps after polypectomy.

**Packaging:** 12 x 120 doses

Cough & Cold Preparations



## Comix Syrup (Sala Cider + Strawberry Flavor)

**Each 5 ml contains:**

Chlorphenamine Maleate 2.5 mg

Ammonium Chloride 125.0 mg

Sodium Citrate 55.0 mg

**Indications:** For relief coughs due to common cold, bronchitis, expectorants and allergic origins.

**Packaging:** 50 x 60 ml

Cough & Cold Preparations



## Coughdyl Capsules

**Each capsule contains:**

Dextromethorphan HBr 10 mg

Guaifenesin 100 mg

**Indications:** Antitussive, relieves cough caused by bronchial irritation as may occur with the common cold, bronchitis, sinusitis, pharyngitis and expectorant.

**Packaging:** 10 x 10 capsules (blister pack)

Cough & Cold Preparations



## Defurlin Drops

(Cherry Flavor)

**Each 0.6 ml (1 dropperful) contains:**

Brompheniramine Maleate	2 mg
Phenylephrine HCl	2.5 mg

**Indications:** Relief of running nose, nasal congestion.

**Packaging:** 12 x 15 ml

Cough & Cold Preparations



## Dexcetyl Plus Syrup

(Cherry Flavor)

**Each 5 ml contains:**

Dextromethorphan HBr	10 mg
Guaifenesin	200 mg

**Indications:** Antitussive and expectorant, for relief of cough from irritating throat.

**Packaging:** 50 x 60 ml

Cough & Cold Preparations



## Dipronase Nasal Spray

(50 Micrograms Beclomethasone Dipropionate/Dose)

**Each 1 ml contains:**

Beclomethasone Dipropionate	0.5 mg
-----------------------------	--------

**Indications:** Symptomatic treatment of seasonal or perennial rhinitis and to prevent recurrence of nasal polyps following surgery.

**Packaging:** 12 x 200 doses

Cough & Cold Preparations



## Fecough Syrup

(Sala Cider + Strawberry Flavor)

**Each 5 ml contains:**

Chlorphenamine Maleate	2.5 mg
Ammonium Chloride	125.0 mg

**Indications:** Cough syrup for the relief coughs due to common cold, bronchitis, expectorants and allergic origins.

**Packaging:** 12 x 60 ml

50 x 60 ml

Cough & Cold Preparations



## Fe-Fa Syrup

(Pineapple Flavor)

**Each 5 ml contains:**

Paracetamol	150 mg
Dextromethorphan HBr	10 mg
Chlorphenamine Maleate	1 mg

**Indications:** Relief of fever running nose and coughs due to common cold.

**Packaging:** 12 x 60 ml

50 x 60 ml

Cough & Cold Preparations



## Glyceryl Guaiacolate Syrup

(Pineapple Flavor)

**Each 5 ml contains:**

Guaifenesin	100 mg
-------------	--------

**Indications:** Expectorant.

**Packaging:** 50 x 60 ml

Cough & Cold Preparations



## Mucon 15 Syrup

(Pineapple Flavor)

**Each 5 ml contains:**

Ambroxol HCl	15 mg
--------------	-------

**Indications:** Acute and chronic diseases of the respiratory tract with pathologically thickened mucus.

**Packaging:** 50 x 60 ml

Cough & Cold Preparations



## Mucon Syrup

**Each 5 ml contains:**

Ambroxol HCl	30 mg
--------------	-------

**Indications:** Acute and chronic respiratory tract diseases accompanied by abnormal bronchial secretions.

**Packaging:** 50 x 60 ml

Cough & Cold Preparations



## Mucon Tablets

**Each tablet contains:**

Ambroxol HCl 30 mg

**Indications:** Acute and chronic respiratory tract diseases accompanied by abnormal bronchial secretions.

**Packaging:** 1000 tablets

Cough & Cold Preparations



## Mucosil 100 Syrup

(Grape Flavor)

**Each 5 ml contains:**

Carbocisteine 100 mg

**Indications:** Treatment of disorder of respiratory tract associated with excessive or viscous mucus.

**Packaging:** 50 x 60 ml

Cough & Cold Preparations



## Mucosil Syrup

(Raspberry Flavor)

**Each 5 ml contains:**

Carbocisteine 250 mg

**Indications:** Acute & chronic bronchitis, bronchiectasis, asthmatic bronchitis & emphysema.

**Packaging:** 50 x 60 ml

Cough & Cold Preparations



## Mucosil Tablets

**Each tablet contains:**

Carbocisteine 375 mg

**Indications:** Acute and chronic bronchitis, bronchiectasis asthmatic bronchitis and emphysema.

**Packaging:** 500 tablets

Cough & Cold Preparations



## Romivon Soft Gelatin Capsules

**Each capsule contains:**

Dextromethorphan HBr 15 mg  
Bromhexine HCl 8 mg

**Indications:** Mucolytic and relief of cough, due to bronchitis and common cold.

**Packaging:** 10 x 10 soft gelatin capsules (blister pack)

Cough & Cold Preparations

## Romivon tablets

**Each tablet contains:**

Dextromethorphan HBr 15 mg  
Bromhexine HCl 8 mg

**Indications:** Mucolytic in tracheobronchitis and relief of useless or harmful cough, as in bronchitis, whooping cough and measles.

**Packaging:** 1000 tablets  
10 x 10 tablets (blister pack)

Cough & Cold Preparations



## Sifrin Nebulizer

**Composition:**

Oxymetazoline HCl 0.05% w/v

**Indications:** For temporary relief of nasal congestion associated with colds, hay fever, and sinusitis.

**Packaging:** 12 x 15 ml

Cough & Cold Preparations



## Sifrin Pediatric Nebulizer

**Composition:**

Oxymetazoline HCl 0.025% w/v

**Indications:** For temporary relief of nasal congestion associated with colds, hay fever and sinusitis.

**Packaging:** 12 x 15 ml

Cough & Cold Preparations

# Central Nervous System

Antidepressants

Antiemetics & Antivertigo Drugs

Analgesics & Antipyretics

Nonsteroidal Anti-Inflammatory Drugs (NSAIDs)

Antimigraine Preparations

Nootropics & Neurotonics / Neurotrophics



## Nutrip (10 mg) Tablets

Each film coated tablet contains:

Nortriptyline 10 mg

**Indications:** Relief of symptoms of depression, particularly endogenous depression.

**Packaging:** 1000 tablets

Antidepressants



## Plasitil Tablets

**Each tablet contains:**

Metoclopramide HCl equivalent to Anhydrous Metoclopramide HCl 10 mg

**Indications:** Disturbance of GI motility. Nausea and vomiting of central and peripheral origin associated with surgery, metabolic diseases, infectious disease and drug induced, radiological procedures of GIT.

**Packaging:** 1000 tablets

Antiemetics & Antivertigo Drugs



## Vertamin Tablets

**Each sugar coated tablet contains:**

Dimenhydrinate 25 mg

Pyridoxine HCl 25 mg

**Indications:** Morning sickness, anti nausea, vomiting vertigo, motion sickness.

**Packaging:** 1000 tablets

10 x 10 tablets (blister pack)

Antiemetics & Antivertigo Drugs



## Children's Protemp Suppositories

**Each suppository contains:**

Paracetamol 120 mg

**Indications:** For the temporary relief of fever, minor aches, pains and headaches.

**Packaging:** 12 pcs

Analgesics & Antipyretics



## Furlin Suspension

(Strawberry Flavor)

**Each 5 ml contains:**

Paracetamol 120 mg

**Indications:** Reduction of fever and relief of mild to moderate pain due to headache, colds, toothache and muscle pain.

**Packaging:** 50 x 60 ml

Analgesics & Antipyretics



## Infants' Protemp Suppositories

**Each suppository contains:**

Paracetamol 80 mg

**Indications:** For the temporary relief of fever, minor aches, pains and headaches.

**Packaging:** 12 pcs

Analgesics & Antipyretics



## Junior Protemp Suppositories

**Each suppository contains:**

Paracetamol 325 mg

**Indications:** For the temporary relief of fever, minor aches, pains and headaches.

**Packaging:** 12 pcs

Analgesics & Antipyretics



## Paracetamol Syrup

(Strawberry Flavor)

**Each 5 ml contains:**

Paracetamol 120 mg

**Indications:** Reduction of fever and relief of mild to moderate pain due to headache, colds, toothache and muscle pain.

**Packaging:** 50 x 60 ml

Analgesics & Antipyretics



## Ponmed (500 mg) Tablets

**Each film coated tablet contains:**

Mefenamic Acid 500 mg

**Indications:** Symptomatic relief of mild to moderate pain, dysmenorrhea.

**Packaging:** 25 x 10 tablets (blister pack)

Analgesics & Antipyretics



## Ponmed-R Tablets

**Each film coated tablet contains:**

Mefenamic Acid 500 mg

**Indications:** Symptomatic relief of mild to moderate pain, dysmenorrhea.

**Packaging:** 1000 tablets

Analgesics & Antipyretics



## Protemp 250 Suppositories

**Each suppository contains:**

Paracetamol 250 mg

**Indications:** For the temporary relief of fever, minor aches, pains and headaches.

**Packaging:** 12 pcs

Analgesics & Antipyretics



## Protemp 500 Suppositories

Each suppository contains:

Paracetamol 500 mg

**Indications:** For the temporary relief of fever, minor aches, pains and headaches.

**Packaging:** 12 pcs

Analgesics & Antipyretics



## Protemp BL Capsules

Each capsule contains:

Paracetamol 325 mg

**Indications:** Protemp BL is a mild analgesic and antipyretic, and is recommended for help reduce fever and relief of minor aches and pains, for example headache, pain caused by common cold, toothache, dysmenorrhea, muscle pains, backache and rheumatic pains.

**Packaging:** 60 soft gelatin capsules

Analgesics & Antipyretics



## Protemp Capsules

Each capsule contains:

Paracetamol 325 mg

**Indications:** Protemp is a mild analgesic and antipyretic, and is recommended for help reduce fever and relief of minor aches and pains, for example headache, pain caused by common cold, toothache, dysmenorrhea, muscle pains, backache and rheumatic pains.

**Packaging:** 60 soft gelatin capsules

10 x 10 soft gelatin capsules (blister pack)

Analgesics & Antipyretics



## Protemp OR Capsules

Each capsule contains:

Paracetamol 325 mg

**Indications:** Protemp OR is a mild analgesic and antipyretic, and is recommended for help reduce fever and relief of minor aches and pains, for example headache, pain caused by common cold, toothache, dysmenorrhea, muscle pains, backache and rheumatic pains.

**Packaging:** 60 soft gelatin capsules

Analgesics & Antipyretics



## Pycetol 500 Tablets

**Each tablet contains:**

Paracetamol 500 mg

**Indications:** Reduction of fever and relief of mild to moderate pain due to headache, colds, toothache, dysmenorrhea, muscle pain and joint pain.

**Packaging:** 1000 tablets

Analgesics & Antipyretics



## Pycetol Drops

(Raspberry Flavor)

**Each 0.6 ml (1 dropperful) contains:**

Paracetamol 60 mg

**Indications:** Reduction of fever and relief of mild to moderate pain due to headache, colds, toothache and muscle pain.

**Packaging:** 12 x 15 ml

Analgesics & Antipyretics



## Pycetol F Suspension

(Orange Flavor)

**Each 5 ml contains:**

Paracetamol 250 mg

**Indications:** Reduction of fever and relief of mild to moderate pain due to headache, colds, toothache and muscle pain.

**Packaging:** 12 x 60 ml

50 x 60 ml

Analgesics & Antipyretics



## Pycetol Suspension

(Strawberry + Orange flavor)

**Each 5 ml contains:**

Paracetamol 120 mg

**Indications:** Reduction of fever and relief of mild to moderate pain due to headache, colds, toothache and muscle pain.

**Packaging:** 50 x 60 ml

Analgesics & Antipyretics



## Pycetol Suspension Drops

(Orange Flavor)

**Each 0.6 ml (1 dropperful) contains:**

Paracetamol 60 mg

**Indications:** Reduction of fever and relief of mild to moderate pain due to headache, colds, toothache and muscle pain.

**Packaging:** 12 x 15 ml

Analgesics & Antipyretics



## Pycetol-Y Syrup

(Pineapple Flavor)

**Each 5 ml contains:**

Paracetamol 250 mg

**Indications:** Reduction of fever and relief of mild to moderate pain due to headache, colds, toothache and muscle pain.

**Packaging:** 50 x 60 ml

Analgesics & Antipyretics



## Analren Spray

**Each 100 g contains:**

Diclofenac Diethylamine 1.16 g equivalent to Diclofenac Sodium 1 g

**Indications:** Local treatment of traumatic inflammation of the tendons, ligaments, muscles and joints. Rheumatic diseases, osteoarthritis, periarthropathy.

**Packaging:** 12 x 60 ml

Nonsteroidal Anti-Inflammatory Drugs (NSAIDs)



## Brumed Drops

(Orange Flavor)

**Each 1 ml (1 dropperful) contains:**

Ibuprofen 40 mg

**Indications:** Reduction of fever, relief of mild to moderate pain.

**Packaging:** 12 x 15 ml

Nonsteroidal Anti-Inflammatory Drugs (NSAIDs)



## Brumed-PL Suspension

(Grape Flavor)

**Each 5 ml contains:**

Ibuprofen 100 mg

**Indications:** Relief of pain and fever.

**Packaging:** 50 x 60 ml

Nonsteroidal Anti-Inflammatory Drugs (NSAIDs)



## Brumed Suspension

(Orange Flavor)

**Each 5 ml contains:**

Ibuprofen 100 mg

**Indications:** Anti-inflammatory, Analgesic, Antipyretic.

**Packaging:** 50 x 60 ml

Nonsteroidal Anti-Inflammatory Drugs (NSAIDs)



## Ibucin 400 Soft Gelatin Capsules

**Each capsule contains:**

Ibuprofen 400 mg

**Indications:** Relieves pain, headache, back pain, muscle pain, fever not due to dengue virus (hemorrhagic fever).

**Packaging:** 10 x 10 capsules (blister pack)  
25 x 10 capsules (blister pack)

Nonsteroidal Anti-Inflammatory Drugs (NSAIDs)



## Ibucin Forte Tablets

**Each tablet contains:**

Ibuprofen 400 mg

**Indications:** For relief fever, rheumatoid arthritis, relief of the signs and symptoms of osteoarthritis and dysmenorrhea.

**Packaging:** 1000 tablets

Nonsteroidal Anti-Inflammatory Drugs (NSAIDs)



## Ibucin-R Capsules

**Each capsule contains:**

Ibuprofen 200 mg

**Indications:** Relieves pain, headache, fever not due to dengue virus (hemorrhagic fever), back pain, muscle pain, period pain.

**Packaging:** 25 x 10 capsules (blister pack)

Nonsteroidal Anti-Inflammatory Drugs (NSAIDs)



## Inmed Forte Tablets

**Each film coated tablet contains:**

Indometacin 50 mg

**Indications:** Rheumatoid arthritis osteoarthritis, ankylosing spondylitis, musculoskeletal disorder and acute gout.

**Packaging:** 1000 tablets

Nonsteroidal Anti-Inflammatory Drugs (NSAIDs)



### Inmed Orange Tablets

**Each film coated tablet contains:**

Indometacin 25 mg

**Indications:** Acute and chronic musculoskeletal disorders and arthritic disorders (RA, ankylosing spondylitis, osteoarthritis, lumbago, acute gouty arthritis).

**Packaging:** 1000 tablets

Nonsteroidal Anti-Inflammatory Drugs (NSAIDs)



### Inmed Tablets


**Each film coated tablet contains:**

Indometacin 25 mg

**Indications:** Anti-inflammatory.

**Packaging:** 1000 tablets

Nonsteroidal Anti-Inflammatory Drugs (NSAIDs)



### Inmed Tablets

**Each sugar coated tablet contains:**

Indometacin 25 mg

**Indications:** Anti-inflammatory.

**Packaging:** 1000 tablets

20 x 50 tablets (blister pack)

Nonsteroidal Anti-Inflammatory Drugs (NSAIDs)



### Inmed White Tablets

**Each film coated tablet contains:**

Indometacin 25 mg

**Indications:** Anti-inflammatory.

**Packaging:** 1000 tablets

Nonsteroidal Anti-Inflammatory Drugs (NSAIDs)



## Naproxac Tablets

**Each film coated tablet contains:**

Naproxen Sodium equivalent to Naproxen 250 mg

**Indications:** Relief dysmenorrhea, acute pain, musculoskeletal disorder, rheumatoid arthritis, osteoarthritis, ankylosing spondylitis, acute gout and migraine headache.

**Packaging:** 500 tablets

Nonsteroidal Anti-Inflammatory Drugs (NSAIDs)



## Ostemed Caplet

**Each tablet contains:**

Ibuprofen 200 mg

Paracetamol 325 mg

**Indications:** Relief of mild to moderate pain of musculoskeletal origin such as low back syndrome bursitis, arthritis, rheumatism, myalgias, sprains, strains and traumatic injuries.

**Packaging:** 1000 caplets

Nonsteroidal Anti-Inflammatory Drugs (NSAIDs)



## Piromed (20 mg) Tablets

**Each film coated tablet contains:**

Piroxicam 20 mg

**Indications:** Osteoarthritis, ankylosing spondylitis, acute musculoskeletal disorder and acute gout.

**Packaging:** 1000 tablets

Nonsteroidal Anti-Inflammatory Drugs (NSAIDs)



## Vixa Suspension

**Each 5 ml contains:**

Ibuprofen 100 mg

**Indications:** Relief of pains and fever.

**Packaging:** 50 x 60 ml

Nonsteroidal Anti-Inflammatory Drugs (NSAIDs)



## Volclonac 100 Suppositories

Each suppository contains:

Diclofenac Sodium 100 mg

**Indications:** Anti-rheumatic, anti-inflammatory, analgesic.

**Packaging:** 12 pcs

Nonsteroidal Anti-Inflammatory Drugs (NSAIDs)



## Volclonac 50 Tablets

Each enteric coated tablet contains:

Diclofenac Sodium 50 mg

**Indications:** Inflammatory and degenerative forms of rheumatism or as prescribed by physician.

**Packaging:** 1000 tablets

Nonsteroidal Anti-Inflammatory Drugs (NSAIDs)



## Volclonac-R Tablets

Each film coated tablet contains:

Diclofenac Sodium 25 mg

**Indications:** Acute and chronic treatment of the signs and symptoms of rheumatoid arthritis, osteoarthritis and ankylosing spondylitis.

**Packaging:** 1000 tablets

Nonsteroidal Anti-Inflammatory Drugs (NSAIDs)



## Granogot Tablets

Each tablet contains:

Ergotamine Tartrate 1 mg

Caffeine 100 mg

**Indications:** Relieves the effects of migraine.

**Packaging:** 24 x 10 tablets (blister pack)

Antimigraine Preparations



## Neutromed (800 mg) Tablets

Each film coated tablet contains:

Piracetam 800 mg

**Indications:** Confusion in old age. Cerebral vascular insufficiency, cerebral dysfunction due to trauma hypoxia, or toxicity. Involutional syndrome related to aging. Subjective symptoms associated with alcoholism.

**Packaging:** 10 x 10 tablets (blister pack)

Nootropics & Neurotonics / Neurotrophics

# **Musculo-Skeletal System**

**Hyperuricemia & Gout Preparations**  
**Muscle Relaxants**



## Colchicine Tablets


Each tablet contains:

Colchicine 500 mcg

**Indications:** Relief gout attacks.

**Packaging:** 1000 tablets

Hyperuricemia & Gout Preparations



## Acetadrine Tablets

**Each tablet contains:**

Paracetamol 500 mg  
Orphenadrine Citrate 35 mg

**Indications:** For muscular pain.

**Packaging:** 1000 tablets

Muscle Relaxants

## Methocarbamol Tablets

**Each tablet contains:**

Methocarbamol 500 mg

**Indications:** Skeletal muscle relaxant.

**Packaging:** 1000 tablets

Muscle Relaxants

## Onacine Tablets

**Each tablet contains:**

Paracetamol 500 mg  
Orphenadrine Citrate 35 mg

**Indications:** For muscular pain associated with muscle spasm e.g. non-articular rheumatism.

**Packaging:** 1000 tablets

10 x 10 tablets (blister pack)

Muscle Relaxants

## Onacine-G Tablets

**Each tablet contains:**

Paracetamol 500 mg  
Orphenadrine Citrate 35 mg

**Indications:** For muscular pain associated with muscle spasm e.g. non-articular rheumatism.

**Packaging:** 1000 tablets

Muscle Relaxants



## Paroflex Tablets

Each tablet contains:

Paracetamol 500 mg  
Orphenadrine Citrate 35 mg

**Indications:** For painful muscular conditions, non-articular rheumatism.

**Packaging:** 1000 tablets

Muscle Relaxants

# Hormones

Corticosteroid Hormones  
Anabolic Agents



## Dexa Purple Tablets

Each tablet contains:

Dexamethasone 0.5 mg

**Indications:** Anti-inflammatory.

**Packaging:** 1000 tablets

Corticosteroid Hormones



## Minisolone Tablets

Each tablet contains:

Prednisolone 5 mg

**Indications:** Anti-inflammatory.

**Packaging:** 1000 tablets

Corticosteroid Hormones





## Anapolan 50 Soft Gelatin Capsules

**Each capsule contains:**

Oxymetholone 50 mg

**Indications:** Anabolic and androgenic steroid properties. It is used mainly in the treatment of bone marrow failure anemias such as aplastic anemias.

**Packaging:** 5 x 10 capsules (blister pack)

Anabolic Agents



## Andromed Tablets

**Each tablet contains:**

Oxymetholone 50 mg

**Indications:** Anabolic and androgenic steroid properties. It is used mainly in the treatment of bone marrow failure anaemias such as aplastic anaemias.

**Packaging:** 100 tablets

Anabolic Agents

# Infections

Antibiotics

(Penicillins, Cephalosporins, Macrolides, Quinolones,  
Tetracyclines, Antibacterial Combinations)

Antivirals

Antiparasitics  
Antiamoebics



## Amoximed 125 Tablets

Each tablet contains:

Amoxicillin Trihydrate equivalent to Amoxicillin Base 125 mg

**Indications:** Treatment of otitis media, sinusitis and infections caused by susceptible organisms involving respiratory tract, skin and urinary tract, prophylaxis of bacterial endocarditis in patients undergoing surgical or dental procedures.

**Packaging:** 10 x 10 tablets (blister pack)

Antibiotics-Penicillins



## Amoximed Tablets

Each film coated tablet contains:

Amoxicillin Trihydrate equivalent to Amoxicillin 250 mg

**Indications:** Antibacterial.

**Packaging:** 1000 tablets

Antibiotics-Penicillins



## Amoxtrin Apricot Dry Syrup (Apricot Flavor)

When mixed with water to specified volume, each 5 ml contains:

Amoxicillin Trihydrate equivalent to Amoxicillin Base 125 mg

**Indications:** Susceptible bacteria such as respiratory tract infection due to Haemophilus influenzae, otitis media due to Haemophilus influenzae, Streptococcus pneumoniae, urinary infections.

**Packaging:** 50 x 60 ml

Antibiotics-Penicillins



## Amoxtrin Dry Syrup (Strawberry Flavor)

When mixed with water to specified volume, each 5 ml contains:

Amoxicillin Trihydrate equivalent to Amoxicillin Base 125 mg

**Indications:** Treatment of infections susceptible to gram-negative and gram-positive organisms, such as urinary tract infection, pneumonia, bacillary dysentery and endocarditis. To be used by the physician prescription.

**Packaging:** 50 x 60 ml

Antibiotics-Penicillins



## Amoxtrin Grape Dry Syrup

(Grape Flavor)

**When mixed with water to specified volume, each 5 ml contains:**

Amoxicillin Trihydrate equivalent to Amoxicillin 125 mg

**Indications:** Due to susceptible gram-negative and gram-positive organisms, urinary tract infection, pneumonia, bacillary dysentery, and endocarditis. To be used by the prescription of physician or see enclosed insert.

**Packaging:** 50 x 60 ml

Antibiotics-Penicillins



## Amoxtrin Strawberry Dry Syrup

(Strawberry Flavor)

**When mixed with water to specified volume, each 5 ml contains:**

Amoxicillin Trihydrate equivalent to Amoxicillin 250 mg

**Indications:** Due to susceptible gram-negative and gram-positive organisms, urinary tract infection, pneumonia, bacillary dysentery and endocarditis. To be used by the prescription of physician or see enclosed insert.

**Packaging:** 50 x 60 ml

Antibiotics-Penicillins



## Amoxycillin Dry Syrup

(Strawberry Flavor)

**When mixed with water to specified volume, each 5 ml (2 g) contains:**

Amoxycillin Trihydrate equivalent to Amoxycillin Base 125 mg

**Indications:** Infection due to susceptible gram-negative and gram-positive organisms, urinary tract infections, pneumonia. To be used by the prescription of physician or see enclosed insert.

**Packaging:** 12 x 60 ml

50 x 60 ml

Antibiotics-Penicillins



## Amoxycillin Grape Dry Syrup

(Grape Flavor)

**When mixed with water to specified volume, each 5 ml contains:**

Amoxycillin Trihydrate equivalent to Amoxycillin Base 125 mg

**Indications:** Due to susceptible gram-negative and gram-positive organisms, urinary tract infection, pneumonia, bacillary dysentery, endocarditis. To be used by the prescription of physician or see enclosed insert.

**Packaging:** 12 x 60 ml

50 x 60 ml

Antibiotics-Penicillins



## Amoxycillin Vanilla Dry Syrup

(Vanilla Flavor)

**When mixed with water to specified volume, each 5 ml contains:**


Amoxycillin Trihydrate equivalent to Amoxycillin 250 mg

**Indications:** Infection due to susceptible gram-negative and gram-positive organisms, urinary tract infection, pneumonia, bacillary dysentery, endocarditis. To be used by the prescription of physician.

**Packaging:** 12 x 60 ml

50 x 60 ml

Antibiotics-Penicillins



## Cloxatin Dry Syrup

(Orange Flavor)

**Each 5 ml contains:**

Cloxacillin Sodium equivalent to Cloxacillin 125 mg

**Indications:** Treatment of susceptible bacterial infections, notably penicillinase-producing staphylococci causing respiratory tract, skin and skin structure, bone and joint, urinary tract infections.

**Packaging:** 25 x 60 ml

Antibiotics-Penicillins



## Disperlin Tablets

**Each dispersible tablet contains:**

Amoxycillin Trihydrate equivalent to Amoxycillin Base 125 mg

**Indications:** Treatment of otitis media, sinusitis and infections caused by susceptible organisms involving respiratory tract, skin and urinary tract, prophylaxis of bacterial endocarditis in patients undergoing surgical or dental procedures.

**Packaging:** 10 x 10 tablets (blister pack)

Antibiotics-Penicillins



## Cecef Dry Syrup

(Vanilla Flavor)

**When mixed with water to specified volume, each 5 ml contains:**

Cefaclor Monohydrate equivalent to Cefaclor 125 mg

**Indications:** For antibacterial.

**Packaging:** 12 x 60 ml

Antibiotics-Cephalosporins



## Cecef-R Dry Syrup

(Bubble Gum Flavor)

**When mixed with water to specified volume, each 5 ml contains:**

Cefaclor Monohydrate equivalent to Cefaclor 125 mg

**Indications:** For antibacterial.

**Packaging:** 12 x 60 ml

Antibiotics-Cephalosporins



## Cefadril Apricot For Oral Suspension

(Apricot Flavor)

**When mixed with water to specified volume, each 5 ml contains:**

Cefadroxil Monohydrate equivalent to Cefadroxil 125 mg

**Indications:** Infection caused by susceptible bacteria of the upper and lower respiratory tract, skin and soft tissue, genitourinary tract, osteomyelitis and septic arthritis infections.

**Packaging:** 50 x 60 ml

Antibiotics-Cephalosporins



## Cefadril Capsules

**Each capsule contains:**

Cefadroxil Monohydrate equivalent to Cefadroxil 500 mg

**Indications:** Infection caused by bacteria of the upper and lower respiratory tract, urinary tract, skin and soft tissue, genitourinary tract, osteomyelitis and septic arthritis.

**Packaging:** 250 capsules

Antibiotics-Cephalosporins



## Cefadril For Oral Suspension (Orange Flavor)

**When mixed with water to specified volume, each 5 ml contains:**

Cefadroxil Monohydrate equivalent to Cefadroxil 125 mg

**Indications:** Infection caused by susceptible bacteria of the upper and lower respiratory tract, skin and soft tissue genitourinary tract, osteomyelitis and septic arthritis infections.

**Packaging:** 12 x 60 ml

Antibiotics-Cephalosporins



## Cefadril Grape For Oral Suspension (Grape Flavor)

**When mixed with water to specified volume, each 5 ml contains:**

Cefadroxil Monohydrate equivalent to Cefadroxil 125 mg

**Indications:** Infection caused by susceptible bacteria of the upper and lower respiratory tract, skin and soft tissue, genitourinary tract, osteomyelitis and septic arthritis infections.

**Packaging:** 50 x 60 ml

Antibiotics-Cephalosporins



## Cefadril Strawberry Dry Syrup (Strawberry Flavor)

**When mixed with water to specified volume, each 5 ml contains:**

Cefadroxil Monohydrate equivalent to Cefadroxil 250 mg

**Indications:** Treatment of infection caused by susceptible bacteria of the upper and lower respiratory tract, skin and soft tissue, genitourinary tract, osteomyelitis and septic arthritis infections.

**Packaging:** 50 x 60 ml

Antibiotics-Cephalosporins



## Cefuxime For Oral Suspension (Fruit Flavor)

**When mixed with water to specified volume, each 5 ml contains:**

Cefuroxime 125 mg (As Cefuroxime Axetil)

**Indications:** Infection of respiratory tract, ENT, GUT, skin & soft tissue, acute uncomplicated gonococcal urethritis & cervicitis, otitis media.

**Packaging:** 12 x 60 ml

Antibiotics-Cephalosporins



## Colaxin Capsule (250 mg)

**Each capsule contains:**

Cefalexin Monohydrate equivalent to Cefalexin 250 mg

**Indications:** Bacterial infections of soft tissue, GUT & respiratory tract.

**Packaging:** 500 capsules

Antibiotics-Cephalosporins



## Colaxin Dry Syrup

(Strawberry Flavor)

**When mixed with water to specified volume, each 5 ml contains:**


Cefalexin Monohydrate equivalent to Cefalexin 125 mg

**Indications:** Infection of respiratory tract, skin, soft-tissue, bone, joint due to susceptible organisms such as streptococci, staphylococci, E.coli, N.gonorrhoea, P.mirabilis and Klebsiella spp.

**Packaging:** 12 x 60 ml

50 x 60 ml

Antibiotics-Cephalosporins



## Colaxin-DS Dry Syrup

(Bubble Gum Flavor)


**When mixed with water to specified volume, each 5 ml contains:**

Cefalexin Monohydrate equivalent to Cefalexin 250 mg

**Indications:** Infection of respiratory tract, skin, soft tissue, bone, joint due to susceptible organisms such as streptococci, staphylococci, E.coli, N.gonorrhoea, P.mirabilis and Klebsiella spp.

**Packaging:** 50 x 60 ml

Antibiotics-Cephalosporins



## Colaxin-G Dry Syrup

(Vanilla Flavor)

**When mixed with water to specified volume, each 5 ml contains:**

Cefalexin Monohydrate equivalent to Cefalexin 125 mg

**Indications:** Infection of respiratory tract, skin, soft tissue, bone, joint due to susceptible organisms such as streptococci, staphylococci, E.coli, N.gonorrhoea, P.mirabilis and Klebsiella spp.

**Packaging:** 12 x 60 ml

50 x 60 ml

Antibiotics-Cephalosporins



## Colaxin-O Dry Syrup (Orange Flavor)

**When mixed with water to specified volume, each 5 ml contains:**

Cefalexin Monohydrate equivalent to Cefalexin 125 mg

**Indications:** Infections of respiratory tract, skin, soft tissue, bone, joint due to susceptible organisms such as streptococci, staphylococci, E.coli, P.mirabilis and Klebsiella spp.

**Packaging:** 50 x 60 ml

Antibiotics-Cephalosporins



## Colaxin-PL Dry Syrup (Grape Flavor)


**When mixed with water to specified volume, each 5 ml contains:**

Cefalexin Monohydrate equivalent to Cefalexin 250 mg

**Indications:** Infection of respiratory tract, skin, soft tissue, bone, joint due to susceptible organisms such as streptococci, staphylococci, E.coli, N.gonorrhoea, P.mirabilis and Klebsiella spp.

**Packaging:** 50 x 60 ml

Antibiotics-Cephalosporins



## Rithrocin Orange Suspension

(Orange Flavor)

**Each 5 ml contains:**

Erythromycin Estolate equivalent to Erythromycin Base 125 mg

**Indications:** Bacterial infection due to sensitive organism that causes upper and lower respiratory infections, skin and soft tissue infections.

**Packaging:** 12 x 60 ml

50 x 60 ml

Antibiotics-Macrolides



## Rithrocin Suspension

(Sala Cider Flavor)

**Each 5 ml contains:**

Erythromycin Estolate equivalent to Erythromycin Base 125 mg

**Indications:** Bacterial infection due to sensitive organism that causes upper and lower respiratory infections, skin and soft tissue infections.

**Packaging:** 50 x 60 ml

Antibiotics-Macrolides



## Ciprocin Tablets

**Each film coated tablet contains:**

Ciprofloxacin HCl Monohydrate equivalent to Ciprofloxacin 250 mg

**Indications:** Severe infections caused by sensitive micro-organisms such as genito-urinary tract infection, gastro-intestinal tract, respiratory tract and soft tissue infections.

**Packaging:** 500 tablets

Antibiotics-Quinolones



## Normed 200 Tablets

**Each film coated tablet contains:**

Norfloxacin 200 mg

**Indications:** Infections caused by sensitive pathogens in the urinary tracts and gastro-intestinal tracts.

**Packaging:** 1000 tablets

Antibiotics-Quinolones



## Normed 400 Tablets


**Each film coated tablet contains:**

Norfloxacin 400 mg

**Indications:** Infections caused by sensitive pathogens in the urinary tracts and gastro-intestinal tracts.

**Packaging:** 500 tablets

Antibiotics-Quinolones



## Normed 400-U Tablets

**Each film coated tablet contains:**

Norfloxacin 400 mg

**Indications:** Infections caused by sensitive pathogens in the urinary tracts and gastro-intestinal tracts.

**Packaging:** 500 tablets

Antibiotics-Quinolones



## Ofloxacin 200 Tablets


Each film coated tablet contains:

Ofloxacin 200 mg

**Indications:** For treatment of infections caused by susceptible bacteria such as respiratory tract infections, gastrointestinal tract infections, urinary tract and cervix infections, skin and soft tissue infections.

**Packaging:** 1000 tablets

Antibiotics-Quinolones



## Doximed Tablets

**Each film coated tablet contains:**

Doxycycline Hydrate equivalent to Doxycycline Base 100 mg

**Indications:** Infection of respiratory tract, skin and soft tissue and genitourinary tract.

**Packaging:** 1000 tablets

Antibiotics-Tetracyclines



## Griseofulvin Tablets

Each tablet contains:

Griseofulvin 125 mg

**Indications:** Antibiotic and systemically in the treatment of fungal infections.

**Packaging:** 10 x 10 tablets (blister pack)

Antifungals



## Viropox 400 Tablets

**Each tablet contains:**

Aciclovir 400 mg

**Indications:** For treatment of initial and recurrent herpes simplex, herpes zoster and varicella (chickenpox).

**Packaging:** 100 tablets

10 x 10 tablets (blister pack)

Antivirals



## Viropox 800 Tablets

**Each tablet contains:**

Aciclovir 800 mg

**Indications:** Viral infections due to herpes zoster and varicella zoster.

**Packaging:** 10 x 10 tablets (blister pack)

Antivirals



## Virovir Suspension

(Banana Flavor)

**Each 5 ml contains:**

Aciclovir 200 mg

**Indications:** Treatment of initial episodes and recurrent of genital herpes simplex virus infections in immunocompetent and immunocompromised patients, treatment of initial and recurrent mucocutaneous HSV (HSV-1 and HSV-2) infections in immunocompromised patients, treatment of varicella zoster (chickenpox) infection in immunocompetent patients, herpes zoster (Shingles) infections cause by varicella-zoster virus in any adult patient with herpes zoster therapy is most effective when start within 48 hours of the onset of rash.

**Packaging:** 12 x 60 ml

Antivirals



## Enmed Suspension (Raspberry + Vanilla Flavor)

**Each 5 ml contains:**

Albendazole 200 mg

**Indications:** Anthelmintic for single or mixed parasite infestation e.g. roundworm, whipworm, pinworm, threadworm, hookworm, tapeworm, Strongyloides stercoralis, Opisthorchis viverrini (liverfluke) and Opisthorchis sinensis.

**Packaging:** 12 x 10 ml



## Lidazole Capsule

Each capsule contains:

Metronidazole 250 mg

**Indications:** Antitrichomonal.

**Packaging:** 1000 capsules

Antiamoebics

# **Endocrine & Metabolic System**

**Antidiabetic Agents**



## Glibenese Tablets

**Each tablet contains:**

Glibencamide 5 mg

**Indications:** Non-insulin dependent diabetes mellitus.

**Packaging:** 1000 tablets

Antidiabetic Agents



## Glipidiab Tablets

**Each tablet contains:**

Glipizide 5 mg

**Indications:** Maturity-onset diabetes.

**Packaging:** 1000 tablets

10 x 10 tablets (blister pack)

Antidiabetic Agents



## Glucomin Tablets

**Each film coated tablet contains:**

Metformin HCl 500 mg

**Indications:** Non-insulin-dependent diabetic when strict dieting has failed to control diabetes.

**Packaging:** 1000 tablets

Antidiabetic Agents

# Allergies

Antihistamines & Antiallergics



## Chlorphen Syrup

(Banana Flavor)

**Each 5 ml contains:**

Chlorphenamine Maleate 2 mg

**Indications:** Relieve allergic symptoms and congestion such as allergic rhinitis.

**Packaging:** 50 x 60 ml

Antihistamines & Antiallergics



## Chlorpheniramine Maleate Tablets

**Each tablet contains:**

Chlorphenamine Maleate 4 mg

**Indications:** Antihistaminic.

**Packaging:** 1000 tablets

Antihistamines & Antiallergics



## Chlortab G Tablets

**Each film coated tablet contains:**

Chlorphenamine Maleate 4 mg

**Indications:** Relief of allergic symptoms such as allergic rhinitis, allergic conjunctivitis, pruritus, urticaria, angioedema.

**Packaging:** 1000 tablets

Antihistamines & Antiallergics



## Chlortab R Tablets

**Each film coated tablet contains:**

Chlorphenamine Maleate 4 mg

**Indications:** Relief of allergic symptoms such as allergic rhinitis, allergic conjunctivitis, pruritus, urticaria, angioedema.

**Packaging:** 1000 tablets

Antihistamines & Antiallergics



## Cypro Grape Syrup

(Grape Flavor)

**Each 5 ml contains:**

Cyproheptadine HCl 1 1/2 H<sub>2</sub>O equivalent to Cyproheptadine HCl 2 mg

**Indications:** Antihistamine, relief of allergic reaction, allergic rhinitis and sneezing.

**Packaging:** 50 x 60 ml

Antihistamines & Antiallergics



## Cypro Syrup

(Orange Flavor)

**Each 5 ml contains:**

Cyproheptadine HCl 1 1/2 H<sub>2</sub>O equivalent to Anhydrous Cyproheptadine HCl 2 mg

**Indications:** Antihistamine, relief of allergic reaction, allergic rhinitis and sneezing.

**Packaging:** 12 x 60 ml

50 x 60 ml

Antihistamines & Antiallergics



## Cypromed-P Tablets

**Each tablet contains:**

Anhydrous Cyproheptadine HCl 4 mg

**Indications:** Antihistaminic, Antipruritic.

**Packaging:** 1000 tablets

Antihistamines & Antiallergics



## Lorityne Syrup

(Strawberry + Orange Flavor)

**Each 5 ml contains:**

Loratadine 5 mg

**Indications:** For relief of symptoms associated with allergic rhinitis, such as sneezing, nasal discharge (rhinorrhea) and itching, as well as ocular itching and burning. Nasal and ocular signs and symptoms are relieved after oral administration.

**Packaging:** 50 x 60 ml

Antihistamines & Antiallergics



## Lorityne Tablets

**Each tablet contains:**

Loratadine 10 mg

**Indications:** Symptomatic relief of allergic rhinitis, urticaria and other allergic dermatoses.

**Packaging:** 250 tablets

Antihistamines & Antiallergics



## Phenmed Capsules

**Each capsule contains:**

Diphenhydramine HCl 25 mg

**Indications:** Antihistamine prophylactic treatment of motion sickness.

**Packaging:** 1000 capsules

Antihistamines & Antiallergics



## Simpro Tablets


**Each sugar coated tablet contains:**

Cyproheptadine HCl 1 1/2 H<sub>2</sub>O equivalent to Cyproheptadine HCl 2 mg

**Indications:** Relief of seasonal allergic rhinitis, other allergic symptoms including urticaria.

**Packaging:** 10 x 10 tablets (blister pack)

Antihistamines & Antiallergics



## Zyrmed Tablets

**Each film coated tablet contains:**

Cetirizine di HCl 10 mg

**Indications:** Perennial allergic rhinitis, acute and chronic urticaria and other allergic dermatological disorders, allergic conjunctivitis.

**Packaging:** 1000 tablets

Antihistamines & Antiallergics



## Zytine Syrup

(Pineapple Flavor)

**Each 1 ml contains:**

Cetirizine HCl 1 mg

**Indications:** Relief of symptoms associated with

- Seasonal allergic rhinitis.
- Perennial allergic rhinitis.
- Acute and chronic idiopathic urticaria.
- Allergic conjunctivitis.
- Other dermatological disorders.

**Packaging:** 12 x 60 ml

50 x 60 ml

Antihistamines & Antiallergics



## Zytine-B Tablets

**Each tablet contains:**

Cetirizine di HCl 10 mg


**Indications:** Perennial allergic rhinitis, seasonal allergic rhinitis, acute and chronic urticaria and other allergic dermatological disorders, allergic conjunctivitis.

**Packaging:** 1000 tablets

Antihistamines & Antiallergics

# Nutrition

## Electrolytes & Minerals



## Potassium Chloride Tablets

Each enteric coated tablet contains:

Potassium Chloride 500 mg


**Indications:** Potassium deficiency.

**Packaging:** 1000 tablets

Electrolytes & Minerals

# **Ear & Mouth / Throat**

**Ear Preparations  
Mouth / Throat Preparations**



## Earwax Docusate

Each ml contains:

Docusate Sodium 5 mg

**Indications:** For occasional use as an aid to soften, loosen, and remove excessive earwax.

**Packaging:** 12 x 15 ml

Ear Preparations



## Kenolone Oral Paste

### Contents:

Triamcinolone Acetonide 0.1% w/w in Oral Paste

**Indications:** For adjunctive treatment and temporary relief of symptoms associated with oral inflammatory lesion and ulcerative lesion resulting from trauma.

**Packaging:** 12 x 5 grams

Mouth / Throat Preparations

# Dermatological Therapy

Topical Antibiotics

Topical Antivirals

Topical Antifungals & Antiparasitics

Topical Anti-Infectives with Corticosteroids

Topical Corticosteroids



## Piroban Ointment

### Contains:

Mupirocin 2% w/w

**Indications:** Primary and secondary skin infections due to susceptible pathogens.

**Packaging:** 12 x 5 grams

Topical Antibiotics



## Viropox Cream

**Contents:**

Aciclovir 5%

**Indications:** Treatment of herpes genitalis and mucocutaneous infection causes by herpes simplex virus.**Packaging:** 500 grams

Topical Antivirals



## Camazole Cream

**Each 100 g contains:**

Clotrimazole 1 g

**Indications:** The confirmed indications for camazole include: dermatomycoses due to dermatophytes e.g. trichophyton species, yeast (candida species), mold and other fungi.

**Packaging:** 500 grams

Topical Antifungals & Antiparasitics



## Canzol Topical Solution

**Each ml contains:**

Clotrimazole 10 mg

**Indications:** Product is indicated in treatment of cutaneous candidiasis caused by Candida albicans, the topical treatment of the following dermal infections: tinea pedis, tinea cruris, and tinea corporis due to Trichophyton rubrum, Trichophyton mentagrophytes, Epidermophyton floccosum, and Microsporum canis.

**Packaging:** 12 x 30 ml

Topical Antifungals & Antiparasitics



## Clopirox Solution

**Each ml contains:**

Ciclopirox Olamine 10 mg

**Indications:** Fungal infections of the skin.

**Packaging:** 12 x 15 ml

Topical Antifungals & Antiparasitics



## Fungimed Cream

**Contents:**

Ketoconazole 2% w/w

**Indications:** Treatment of dermatophyte infections of the skin: cutaneous candidiasis, pityriasis versicolor, seborrhoeic dermatitis.

**Packaging:** 12 x 5 grams  
500 grams

Topical Antifungals & Antiparasitics



### Vagestab Tablets

Each vaginal tablet contains :

Clotrimazole 500 mg

**Indications:** Broad-spectrum antimycotic with fungicidal and trichomonacidal action.

**Packaging:** 25 x 1 tablet (blister pack)

Topical Antifungals & Antiparasitics



## Betasalic Ointment


### Contents:

Betamethasone Dipropionate equivalent to Betamethasone 0.05% w/w  
Salicylic Acid 3% w/w

**Indications:** For hyperkeratotic and dry skin inflammation that response to topical corticosteroid such as psoriasis, chronic atopic dermatitis, lichen planus, including nummular eczema, hand eczema, eczematous dermatitis, pompholyx, seborrheic dermatitis, ichthyosis vulgaris and other ichthyotic condition.

**Packaging:** 12 x 15 grams

## Topical Anti-Infectives with Corticosteroids



## Clomaderm-B-Cream

### Contents:

Clotrimazole 1%  
Betamethasone Dipropionate equivalent to Betamethasone 0.05%

**Indications:** For topical application in the treatment of various dermal fungal infections.

**Packaging:** 12 x 15 grams

## Topical Anti-Infectives with Corticosteroids



## Betanate Cream

### Contents:

Betamethasone Dipropionate equivalent to Betamethasone 0.05% w/w

**Indications:** For skin inflammation, rash, pruritus.

**Packaging:** 500 grams

Topical Corticosteroids



## Corticort Cream

### Contents:

Hydrocortisone Acetate 1% w/w

**Indications:** Relieve allergic reaction of skin including insect bite reactions and contact dermatitis.

**Packaging:** 500 grams

Topical Corticosteroids



## Corticort-C Cream

### Contents:

Hydrocortisone Acetate 1% w/w

Chloramphenicol 1% w/w

**Indications:** For treatment of skin infection and inflammation in dermatitis, eczema, allergic dermatoses.

**Packaging:** 12 x 15 grams

Topical Corticosteroids



## Dermonar Cream

### Contains:

Clobetasol Propionate 0.05% w/w

**Indications:** Psoriasis (excluding wide spread plaque psoriasis), recalcitrant eczemas, lichen planus & discoid lupus erythematosus & other conditions which do not respond satisfactorily to less-active steroids.

**Packaging:** 12 x 5 grams  
500 grams

Topical Corticosteroids



## Dermonar Lotion

### Composition:

Clobetasol Propionate 0.05% w/v

**Indications:** Psoriasis (excluding widespread plaque psoriasis), recalcitrant eczemas, lichen planus, discoid lupus erythematosus, and other conditions which do not respond satisfactorily to less active steroids.

**Packaging:** 12 x 30 ml

50 x 30 ml

Topical Corticosteroids



## Fluocinar Cream

### Each 1 g contains:

Fluocinolone Acetonide 0.25 mg

**Indications:** Inflammatory, allergic and pruriginous skin affections.

**Packaging:** 500 grams

Topical Corticosteroids



## Trinoderm 02 Cream


### Contains:

Triamcinolone Acetonide 0.02% w/w

**Indications:** Relief of the inflammatory and pruritic manifestations of corticosteroid responsive dermatoses. Treatment of skin allergy and pruritus sensitive skin to chemical and urticaria.

**Packaging:** 500 grams

Topical Corticosteroids



## Trinoderm Cream


### Contents:

Triamcinolone Acetonide 0.1% w/w

**Indications:** Anti-inflammatory of the skin.

**Packaging:** 12 x 15 grams  
500 grams

Topical Corticosteroids



## Trinoderm Lotion

### Contents:

Triamcinolone Acetonide 0.1% w/v

**Indications:** Trinoderm lotion is a medium potency ranking topical steroid. Use in moderate inflammatory dermatoses, such as atopic dermatitis, contact dermatitis, eczematous dermatitis, generalized erythroderma, neurodermatitis, nummular eczema, insect bite and seborrhoeic dermatitis. May be used on the face and intertriginous areas for a limited duration.

**Packaging:** 12 x 30 ml

50 x 30 ml

Topical Corticosteroids

# **Vitamins & Minerals**

Multivitamins / with Minerals

Vitamin B

Antianemics (Pre & Post Natal Vitamins & Minerals)



## LSP Multivitamin Syrup For Infant

Each ml contains:

		%RDA		%RDA
Vitamin A	1500 IU	180%	Vitamin B12	0.60 mcg
Vitamin B1	0.50 mg	166.67%	Vitamin C	50.00 mg
Vitamin B2	0.50 mg	125%	Vitamin D3	400 IU
Vitamin B6	0.50 mg	166.67%	Nicotinamide	5.00 mg

**Indications:** For the prevention of vitamin deficiencies during the 6 to 11 months of infancy.

**Packaging:** 12 x 15 ml

## Multivitamins / with Minerals



## Maxavit Capsules

Each capsule contains:

Vitamins	Content	%RDA	Minerals	Content	%RDA
Vitamin A (Palmitate)	5000 IU	188%	Ferrous Fumarate	50 mg	55%
Vitamin B1 (Thiamine Mononitrate)	5 mg	333%	Dibasic Calcium Phosphate	70 mg	1.7%
Vitamin B2 (Riboflavin)	5 mg	313%	Copper Sulphate	0.1 mg	4%
Vitamin B6 (Pyridoxine Hydrochloride)	2 mg	91%	Manganese Sulphate	0.01 mg	0.18%
Vitamin B12 (Cyanocobalamin)	5 mcg	227%	Zinc Sulphate Heptahydrate equivalent to Zinc Sulphate	50 mg	135%
Vitamin C	75 mg	107%	Potassium Iodide	0.025 mg	10.9%
Vitamin D3 (Cholecalciferol)	400 IU	100%	Magnesium Oxide	0.5 mg	0.1%
Vitamin E (Tocopherol Acetate)	15 mg	149%			
Nicotinamide	45 mg	265%			
D-Panthenol	5 mg	50%			
Folic Acid	1000 mcg	250%			

**Indications:** Prevention and treatment of vitamin and mineral deficiencies, dietary supplement.

**Packaging:** 10 x 10 capsules (blister pack)

## Multivitamins / with Minerals



## Me-C 1000

Each film coated tablet contains:

		%Thai RDI		
Total Vitamin C	1000 mg	1666.67	Citrus Bioflavonoids Extract	50 mg
From Ascorbic Acid	400 mg		Rutin	50 mg
Sodium Ascorbate (Equiv. to Ascorbic Acid 300 mg)	350 mg		Hesperidin	50 mg
Calcium Ascorbate (Equiv. to Ascorbic Acid 300 mg)	400 mg		Rose Hips Extract Dry Conc. (Equiv. to Rose Hips 250 mg)	62.5 mg
No preservative, flavoring agents.			Acerola Extract Dry Conc. (Equiv. to Acerola 50 mg)	12.5 mg

**Indication:** Treatment of Vitamin C deficiency.

**Packaging:** 60 tablets

## Multivitamins / with Minerals



## Multivit Tablets

Each sugar coated tablet contains:

Vitamin A	2500 IU	Vitamin B2	0.5 mg
Vitamin D	300 IU	Vitamin C	15 mg
Vitamin B1	1 mg	Nicotinamide	7.5 mg

**Indications:** For prevention of multiple vitamin deficiencies.

**Packaging:** 10 x 10 tablets (blister pack)

## Multivitamins / with Minerals



## Multivitamin Syrup

Each 5 ml contains:

		%RDA		%RDA
Vitamin A	1500 IU	150%	Vitamin C	30 mg
Vitamin B1	6.25 mg	416.7%	Vitamin D2	300 IU
Vitamin B2	2.50 mg	147.1%	Nicotinamide	25 mg
Vitamin B6	1.25 mg	62.5%	Calcium Pantothenate	2 mg
Vitamin B12	6.25 mcg	312.5%		-

**Indications:** For use as multivitamin supplement especially in infant.

**Packaging:** 50 x 60 ml

## Multivitamins / with Minerals



## Sinepotamin 22 Tablets

Each sugar coated tablet contains:

Lysine HCl	250 mg	Vitamin C	30 mg
Vitamin A	2000 IU	Vitamin D	200 IU
Vitamin B1	1 mg	Vitamin E	7.5 mg
Vitamin B2	1 mg	Nicotinamide	7.5 mg
Vitamin B6	0.5 mg		

**Indications:** Vitamin supplement.

**Packaging:** 500 tablets  
10 x 10 tablets (blister pack)

## Multivitamins / with Minerals



## Sinepotamin LV Suspension (Orange Flavor)


Each 5 ml contains:

Vitamins	Content	Vitamins	Content
Lysine Hydrochloride	125 mg	Vitamin B2	2.00 mg
Vitamin A+D3 Water Miscible	0.015 ml	Vitamin B3	25 mg
(equivalent to Vitamin A 1500 IU and Vitamin D3 300 IU)		(Nicotinamide)	
Vitamin B1	6.25 mg	Vitamin B6	1.25 mg

**Indications:** Tonicizing.

**Packaging:** 12 x 60 ml  
50 x 60 ml

## Multivitamins / with Minerals



## Vit-Jel Capsules

Each capsule contains:

Vitamins	Content	%RDA	Minerals	Content	%RDA
Vitamin A (Palmitate)	5000 IU	188%	Ferrous Fumarate	50 mg	55%
Vitamin B1 (Thiamine Mononitrate)	5 mg	333%	Dibasic Calcium Phosphate	70 mg	1.7%
Vitamin B2 (Riboflavin)	5 mg	313%	Copper Sulphate	0.1 mg	4%
Vitamin B6 (Pyridoxine Hydrochloride)	2 mg	91%	Manganese Sulphate	0.01 mg	0.18%
Vitamin B12 (Cyanocobalamin)	5 mcg	227%	Zinc Sulphate Heptahydrate equivalent to Zinc Sulphate	50 mg	135%
Vitamin C	75 mg	107%	Potassium Iodide	0.025 mg	10.9%
Vitamin D3 (Cholecalciferol)	400 IU	100%	Magnesium Oxide	0.5 mg	0.1%
Vitamin E (Tocopherol Acetate)	15 mg	149%			
Nicotinamide	45 mg	265%			
D-Panthenol	5 mg	50%			
Folic Acid	1000 mcg	250%			

**Indications:** Prevention and treatment of vitamin and mineral deficiencies, dietary supplement.

**Packaging:** 6 x 10 capsules (blister pack)

## Multivitamins / with Minerals



## Z-B-C Tablets

Each film coated tablet contains:

Ascorbic Acid	100 mg	Vitamin B6	5 mg
Vitamin B1	10 mg	Vitamin E	30 IU
Vitamin B2	2 mg	Zinc	15 mg
Nicotinamide	20 mg		

**Indications:** Vitamin B and Vitamin C Supplement with Zinc.

**Packaging:** 100 tablets

1000 tablets

1 x 10 tablets

Multivitamins / with Minerals



## Neurovit Tablets

**Each film coated tablet contains:**

Thiamine Mononitrate	100 mg
Pyridoxine HCl	200 mg
Cyanocobalamin	200 mcg

**Indications:** Neuritis due to alcohol, diabetics and pregnancy. Peripheral neuritis, beri-beri due to Vitamin B1 deficiency.

**Packaging:** 1000 tablets

10 x 10 tablets (blister pack)

Vitamin B



## Trinamin Forte Tablets

**Each film coated tablet contains:**

Thiamine Mononitrate	250 mg
Pyridoxine HCl	250 mg
Cyanocobalamin	1 mg

**Indications:** Prevention and treatment of vitamin B1, B6, B12 deficiencies. Peripheral neuritis due to alcohol, diabetics, and pregnancy. Beri-beri due to vitamin B1 deficiency.

**Packaging:** 10 x 10 tablets (blister pack)

Vitamin B



## Trinamin Tablets

**Each sugar coated tablet contains:**

Thiamine Mononitrate	50 mg
Pyridoxine HCl	5 mg
Cyanocobalamin	50 mcg

**Indications:** Prevention and treatment of vitamin B1, vitamin B6, vitamin B12 deficiencies.

**Packaging:** 1000 tablets

10 x 10 tablets (blister pack)

Vitamin B



## Trinamin-White Tablets

**Each sugar coated tablet contains:**

Thiamine Mononitrate	50 mg
Pyridoxine HCl	5 mg
Cyanocobalamin	50 mcg

**Indications:** Prevention and treatment of vitamin B1, vitamin B6, vitamin B12 deficiencies.

**Packaging:** 1000 tablets

Vitamin B



## Ferminal Tablets

Each film coated tablet contains:

Ferrous Fumarate	200 mg	Vitamin C	20 mg
Vitamin B1	2 mg	Niacinamide	10 mg
Vitamin B2	2 mg	Folic Acid	100 mcg
Vitamin B12	5 mcg	Calcium Phosphate Tribasic	100 mg

**Indications:** Anaemia.

**Packaging:** 1000 tablets

Antianemics (Pre & Post Natal Vitamins & Minerals)



## Ferrosol Drops

(Peppermint Flavor)

Each 0.6 ml (1 dropperful) contains:

Ferrous Fumarate 45 mg  
(Equivalent to 15 mg Iron)

**Indications:** For iron deficiency anemia.

**Packaging:** 12 x 15 ml

Antianemics (Pre & Post Natal Vitamins & Minerals)

# COSMETICS





## Ravecea Mouth Spray

### Composition:

Echinacea Purpurea Extract	Eucalyptol
Chamomile Extract	Pine Needle Oil
Alcohol	Methyl Salicylate
Peppermint Oil	Bergamot Oil
Anise Oil	Purified Water qs.

Sage Oil (Salvia Officinalis L.)

**Packaging:** 12 x 15 ml

Cosmetics



## Ravena Mouth Spray

### Composition:

Chamomile Extract	Eucalyptol
Alcohol	Pine Needle Oil
Peppermint Oil	Methyl Salicylate
Anise Oil	Bergamot Oil
Sage Oil	Purified Water qs.

**Packaging:** 12 x 15 ml

Cosmetics




## Ravena Krachai Fresh Mouth Spray

### Composition:

Water	Eucalyptol
Chamomile Extract	Pine Needle Oil
Alcohol	Methyl Salicylate
Peppermint Oil	Boesenbergia Pandurata
Anise Oil	Rhizome Extract
Sage Oil	Bergamot Oil

**Packaging:** 12 x 15 ml

Cosmetics



## Ravephis Fresh Mouth Spray

### Composition:

Water	Sage Oil
Chamomile Extract	Eucalyptol
Alcohol	Pine Needle Oil
Andrographis Paniculata Extract	Methyl Salicylate
Peppermint Oil	Bergamot Oil
Anise Oil	

**Packaging:** 12 x 15 ml

Cosmetics

# FOOD SUPPLEMENTS





## LSP Biotin Plus


Each capsule contains:

Biotin	0.15 mg
Horsetail Extract (Providing Silicon 7 mg)	100.00 mg
Zinc Amino Acid Chelate (20%)	75.00 mg
L-Methionine	75.00 mg
Selenium Amino Acid Chelate (1%)	7.00 mg
D-Panthenol	6.00 mg
Rice Bran Oil	736.45 mg

**Recommended intake:** Take 1 capsule daily.

**Packaging:** 30 soft gelatin capsules

Food Supplements



## Calstat 600+D

Each capsule contains:

Calcium Carbonate (Providing Calcium 600 mg)	1500.00 mg	Magnesium Oxide	100.00 mg
Natural Rice Bran Oil	862.10 mg	Manganese Sulfate Monohydrate	6.90 mg
Zinc Sulfate Monohydrate	20.60 mg	Copper Sulfate Pentahydrate	4.80 mg
Boron Amino Acid Chelate (5%)	5.00 mg	Vitamin D3	0.20 mg

**Recommended intake:** Take 1 capsule daily.

**Packaging:** 30 soft gelatin capsules

Food Supplements



## Lecitrix Plus

Each capsule contains:

Lecithin	860 mg		
	(Providing Phosphatidylcholine 300 mg)		
Vitamin B3	15 mg	Vitamin E	10 mg
Vitamin B6	2 mg	Vitamin B2	1.7 mg
Vitamin B1	1.5 mg	Vitamin B12	2 mcg

**Recommended intake:** 1 capsule daily.

**Packaging:** 60 soft gelatin capsules

Food Supplements



## 4 Oil

Each capsule contains:

Coconut Oil	150 mg
Rice Germ Oil	110 mg
Garlic Oil	300 mg
Perilla Oil	150 mg

**Recommended intake:** 2 capsules daily.

**Packaging:** 60 soft gelatin capsules

Food Supplements



## LSP Arginine

**Each capsule contains:**

L-Arginine HCl 500 mg

**Recommended intake:** 2 capsules daily.

**Packaging:** 60 soft gelatin capsules

Food Supplements



## Coconut Oil 500

**Each capsule contains:**

Cold Pressed Virgin Coconut Oil 500 mg

**Recommended intake:** 3 capsules 3 times daily.

**Packaging:** 60 soft gelatin capsules

Food Supplements



## Coconut Oil 1000


**Each capsule contains:**

Cold Pressed Virgin Coconut Oil 1000 mg

**Recommended intake:** 2 capsules 3 times daily.

**Packaging:** 60 soft gelatin capsules

Food Supplements



## LSP Cod Liver Oil

**Each capsule contains:**

Cod Liver Oil 300 mg

(Providing Vitamin A 600 IU and Vitamin D3 60 IU)

**Recommended intake:** 3 capsules daily.

**Packaging:** 100 soft gelatin capsules

Food Supplements



## LSP Zinc

**Each capsule contains:**

Zinc Amino Acid Chelate 20% 75 mg  
(Providing Zinc 15 mg)

**Recommended intake:** 1 capsule daily.

**Packaging:** 100 soft gelatin capsules

Food Supplements



## Mitop

**Each capsule contains:**

Vitamin C	60.00 mg	Vitamin B12	0.001 mg
Nicotinamide	20.00 mg	Calcium	120.20 mg
Vitamin E	10.00 mg	Magnesium	52.53 mg
Inositol	20.00 mg	Zinc	2.26 mg
Pantothenic Acid	3.30 mg	Ferrous	2.28 mg
Vitamin B2	1.70 mg	Manganese	0.53 mg
Vitamin A	1465.00 IU	Copper	10.30 IU
Vitamin B1	1.50 mg	Iodine	148.83 mcg
Vitamin B6	0.50 mg	Lecithin	68.00 mg
Folic Acid	0.20 mg	Rutin	20.00 mg
D-Biotin	0.023 mg	DL-Methionine	10.00 mg
Vitamin D	200.00 IU		

**Recommended intake:** 1 capsule daily.

**Packaging:** 10 x 10 soft gelatin capsules

Food Supplements



## Vita D3

**Each capsule contains:**

Vitamin D3 (Cholecalciferol) 1,000,000 IU/g 0.2 mg  
(Providing Vitamin D3 (Cholecalciferol) 200 IU)

**Recommended intake:** 1 capsule daily.

**Packaging:** 100 soft gelatin capsules

Food Supplements



## Vita D3 1000 IU

**Each capsule contains:**

Vitamin D3 (Cholecalciferol) 1,000,000 IU/g 1 mg  
(Providing Vitamin D3 (Cholecalciferol) 1000 IU)

**Recommended intake:** 1 capsule daily.

**Packaging:** 60 soft gelatin capsules

Food Supplements



## Vita K2

**Each capsule contains:**

Vitamin K2 (Menaquinone-7) 1% 2.6 mg  
(Providing Vitamin K2 (Menaquinone-7) 26 mcg)

**Recommended intake:** 1 capsule daily.

**Packaging:** 60 soft gelatin capsules

Food Supplements



**LIRD SINGH PHARMACEUTICAL FACT., LTD., PART.**

**922 SUKHUMVIT 50, BANGKOK 10260 THAILAND.**

**TEL. 0-2331-1958, 0-2331-1962**

**FAX : (662)3115628**