

PRODUCT CATALOG



By Dosage Form

LAST UPDATED MARCH 2025



Contact Us

HEADQUARTERS

Lerd Singh Pharmaceutical Fact., Ltd., Part.
922 Sukhumvit 50, Soi Khasemsuwan,
Phra Khanong, Klong toei,
Bangkok 10260
Thailand

Office hours

8:00 to 17:00 GMT +7

Mondays to Saturdays (excluding public holidays)

TELEPHONE

+66-2-331-1958

+66-2-331-1962

FAX

+66-2-742-8989



<https://www.lsp.co.th>

Table of Contents

Capsules

05 Hard gelatin capsules

06 Soft gelatin capsules

Tablets

11 Enteric coated tablets

12 Film coated tablets

18 Plain tablets

29 Sugar coated tablets

External / Topical Medicines

32 Cream

35 Ointment

36 Solution

37 Lotion

Liquid Preparations

39 Drops

41 Suspension

47 Syrup

54 Dry syrup

Sprays

59 Sprays

Suppositories

62 Suppositories

Capsules

Hard gelatin capsules

Soft gelatin capsules



Cefadril Capsules

Each capsule contains:

Cefadroxil Monohydrate equivalent to Cefadroxil 500 mg

Indications: Infection caused by bacteria of the upper and lower respiratory tract, urinary tract, skin and soft tissue, genitourinary tract, osteomyelitis and septic arthritis.

Packaging: 250 capsules

Antibiotics-Cephalosporins



Lidazole Capsule

Each capsule contains:

Metronidazole 250 mg

Indications: Antitrichomonal.

Packaging: 1000 capsules

Antiamoebics



Phenmed Capsules

Each capsule contains:

Diphenhydramine HCl 25 mg

Indications: Antihistamine prophylactic treatment of motion sickness.

Packaging: 1000 capsules

Antihistamines & Antiallergics



Anapolan 50 Soft Gelatin Capsules

Each capsule contains:

Oxymetholone 50 mg

Indications: Anabolic and androgenic steroid properties. It is used mainly in the treatment of bone marrow failure anemias such as aplastic anemias.

Packaging: 5 x 10 capsules (blister pack)

Anabolic Agents



Coughdyl Capsules

Each capsule contains:

Dextromethorphan HBr 10 mg

Guaifenesin 100 mg

Indications: Antitussive, relieves cough caused by bronchial irritation as may occur with the common cold, bronchitis, sinusitis, pharyngitis and expectorant.

Packaging: 10 x 10 capsules (blister pack)

Cough & Cold Preparations



Defogel (125 mg) Capsules

Each capsule contains:

Simethicone 125 mg

Indications: Relief of abdominal distention due to entrapped gas in the gastrointestinal tract.

Packaging: 10 x 10 capsules (blister pack)

GIT Regulators, Antiflatulents & Anti-Inflammatories



Defogel (180 mg) Capsules

Each capsule contains:

Simethicone 180 mg

Indications: Relief of abdominal distention due to entrapped gas in the gastrointestinal tract.

Packaging: 25 x 10 capsules (blister pack)

GIT Regulators, Antiflatulents & Anti-Inflammatories



Dioctol Capsule

Each capsule contains:

Docusate Sodium 100 mg

Indications: For relief of occasional constipation. The effect is usually seen within 1-3 days.

Packaging: 10 x 10 capsules (blister pack)

Laxatives & Purgatives



Ibucin 400 Soft Gelatin Capsules

Each capsule contains:

Ibuprofen 400 mg

Indications: Relieves pain, headache, back pain, muscle pain, fever not due to dengue virus (hemorrhagic fever).

Packaging: 10 x 10 capsules (blister pack)
25 x 10 capsules (blister pack)

Nonsteroidal Anti-Inflammatory Drugs (NSAIDs)



Ibucin-R Capsules

Each capsule contains:

Ibuprofen 200 mg

Indications: Relieves pain, headache, fever not due to dengue virus (hemorrhagic fever), back pain, muscle pain, period pain.

Packaging: 25 x 10 capsules (blister pack)

Nonsteroidal Anti-Inflammatory Drugs (NSAIDs)



Maxavit Capsules

Each capsule contains:

Vitamins	Content	%RDA	Minerals	Content	%RDA
Vitamin A (Palmitate)	5000 IU	188%	Ferrous Fumarate	50 mg	55%
Vitamin B1 (Thiamine Mononitrate)	5 mg	333%	Dibasic Calcium Phosphate	70 mg	1.7%
Vitamin B2 (Riboflavin)	5 mg	313%	Copper Sulphate	0.1 mg	4%
Vitamin B6 (Pyridoxine Hydrochloride)	2 mg	91%	Manganese Sulphate	0.01 mg	0.18%
Vitamin B12 (Cyanocobalamin)	5 mcg	227%	Zinc Sulphate Heptahydrate equivalent to Zinc Sulphate	50 mg	135%
Vitamin C	75 mg	107%	Potassium Iodide	0.025 mg	10.9%
Vitamin D3 (Cholecalciferol)	400 IU	100%	Magnesium Oxide	0.5 mg	0.1%
Vitamin E (Tocopheryl Acetate)	15 mg	149%			
Nicotinamide	45 mg	265%			
D-Panthenol	5 mg	50%			
Folic Acid	1000 mcg	250%			

Indications: Prevention and treatment of vitamin and mineral deficiencies, dietary supplement.

Packaging: 10 x 10 capsules (blister pack)

Multivitamins / with Minerals



Protemp BL Capsules

Each capsule contains:

Paracetamol 325 mg

Indications: Protemp BL is a mild analgesic and antipyretic, and is recommended for help reduce fever and relief of minor aches and pains, for example headache, pain caused by common cold, toothache, dysmenorrhea, muscle pains, backache and rheumatic pains.

Packaging: 60 soft gelatin capsules

Analgesics & Antipyretics



Protemp Capsules

Each capsule contains:

Paracetamol 325 mg

Indications: Protemp is a mild analgesic and antipyretic, and is recommended for help reduce fever and relief of minor aches and pains, for example headache, pain caused by common cold, toothache, dysmenorrhea, muscle pains, backache and rheumatic pains.

Packaging: 60 soft gelatin capsules
10 x 10 soft gelatin capsules (blister pack)

Analgesics & Antipyretics



Protemp OR Capsules

Each capsule contains:

Paracetamol 325 mg

Indications: Protemp OR is a mild analgesic and antipyretic, and is recommended for help reduce fever and relief of minor aches and pains, for example headache, pain caused by common cold, toothache, dysmenorrhea, muscle pains, backache and rheumatic pains.

Packaging: 60 soft gelatin capsules

Analgesics & Antipyretics



Romivon Soft Gelatin Capsules

Each capsule contains:


Dextromethorphan HBr 15 mg

Bromhexine HCl 8 mg

Indications: Mucolytic and relief of cough, due to bronchitis and common cold.

Packaging: 10 x 10 soft gelatin capsules (blister pack)

Cough & Cold Preparations



Spasverine Soft Gelatin Capsules


Each capsule contains:

Alverine Citrate 60 mg
Simethicone 300 mg

Indications: Antispasmodic that reduces intestinal gas, relief of GI spasm and distension, bowel disturbances and intestinal discomfort related to irritable bowel syndromes.

Packaging: 10 x 10 capsules (blister pack)

Antispasmodics



Vit-Jel Capsules

Each capsule contains:

Vitamins	Content	%RDA	Minerals	Content	%RDA
Vitamin A (Palmitate)	5000 IU	188%	Ferrous Fumarate	50 mg	55%
Vitamin B1 (Thiamine Mononitrate)	5 mg	333%	Dibasic Calcium Phosphate	70 mg	1.7%
Vitamin B2 (Riboflavin)	5 mg	313%	Copper Sulphate	0.1 mg	4%
Vitamin B6 (Pyridoxine Hydrochloride)	2 mg	91%	Manganese Sulphate	0.01 mg	0.18%
Vitamin B12 (Cyanocobalamin)	5 mcg	227%	Zinc Sulphate Heptahydrate equivalent to Zinc Sulphate	50 mg	135%
Vitamin C	75 mg	107%	Potassium Iodide	0.025 mg	10.9%
Vitamin D3 (Cholecalciferol)	400 IU	100%	Magnesium Oxide	0.5 mg	0.1%
Vitamin E (Tocopheryl Acetate)	15 mg	149%			
Nicotinamide	45 mg	265%			
D-Panthenol	5 mg	50%			
Folic Acid	1000 mcg	250%			

Indications: Prevention and treatment of vitamin and mineral deficiencies, dietary supplement.

Packaging: 6 x 10 capsules (blister pack)

Multivitamins / with Minerals



Actilis 5

Each soft gelatin capsule contains:

Tadalafil 5 mg

Indications: Treatment of the signs and symptoms of benign prostatic hyperplasia in adult males. Not indicated for women.

Packaging: 2 x 4 soft gelatin capsules

Drugs for Blader & Prostate Disorders



Actilis 20

Each soft gelatin capsule contains:

Tadalafil 20 mg

Indications: Treatment of erectile dysfunction. Not indicated for women.

Packaging: 1 x 2 soft gelatin capsules

Drugs for Erectile Dysfunction & Ejaculatory Disorders


Tablets

Enteric coated tablets

Film coated tablets

Plain tablets

Sugar coated tablets



Bisadyl-R Tablets


Each enteric coated tablet contains:

Bisacodyl 5 mg

Indications: Constipation.

Packaging: 500 tablets

Laxatives & Purgatives



Potassium Chloride Tablets


Each enteric coated tablet contains:

Potassium Chloride 500 mg

Indications: Potassium deficiency.

Packaging: 1000 tablets

Electrolytes & Minerals



Volclonac 50 Tablets

Each enteric coated tablet contains:

Diclofenac Sodium 50 mg

Indications: Inflammatory and degenerative forms of rheumatism or as prescribed by physician.

Packaging: 1000 tablets

Nonsteroidal Anti-Inflammatory Drugs (NSAIDs)



Amoximed Tablets

Each film coated tablet contains:

Amoxicillin Trihydrate equivalent to Amoxicillin 250 mg

Indications: Antibacterial.

Packaging: 1000 tablets

Antibiotics-Penicillins



Chlortab G Tablets

Each film coated tablet contains:

Chlorphenamine Maleate 4 mg

Indications: Relief of allergic symptoms such as allergic rhinitis, allergic conjunctivitis, pruritus, urticaria, angioedema.

Packaging: 1000 tablets

Antihistamines & Antiallergics



Chlortab R Tablets

Each film coated tablet contains:

Chlorphenamine Maleate 4 mg

Indications: Relief of allergic symptoms such as allergic rhinitis, allergic conjunctivitis, pruritus, urticaria, angioedema.

Packaging: 1000 tablets

Antihistamines & Antiallergics



Ciprocin Tablets

Each film coated tablet contains:

Ciprofloxacin HCl Monohydrate equivalent to Ciprofloxacin 250 mg

Indications: Severe infections caused by sensitive micro-organisms such as genito-urinary tract infection, gastro-intestinal tract, respiratory tract and soft tissue infections.

Packaging: 500 tablets

Antibiotics-Quinolones



Doximed Tablets

Each film coated tablet contains:

Doxycycline Hyclate equivalent to Doxycycline Base 100 mg

Indications: Infection of respiratory tract, skin and soft tissue and genitourinary tract.

Packaging: 1000 tablets

Antibiotics-Tetracyclines



Ferminal Tablets

Each film coated tablet contains:

Ferrous Fumarate	200 mg	Vitamin C	20 mg
Vitamin B1	2 mg	Niacinamide	10 mg
Vitamin B2	2 mg	Folic Acid	100 mcg
Vitamin B12	5 mcg	Calcium Phosphate Tribasic	100 mg

Indications: Anaemia.

Packaging: 1000 tablets

Antianemics (Pre & Post Natal Vitamins & Minerals)



Inmed Tablets

Each film coated tablet contains:

Indometacin 25 mg

Indications: Anti-inflammatory.

Packaging: 1000 tablets

Nonsteroidal Anti-Inflammatory Drugs (NSAIDs)



Inmed Forte Tablets

Each film coated tablet contains:

Indometacin 50 mg

Indications: Rheumatoid arthritis osteoarthritis, ankylosing spondylitis, musculoskeletal disorder and acute gout.

Packaging: 1000 tablets

Nonsteroidal Anti-Inflammatory Drugs (NSAIDs)



Inmed Orange Tablets

Each film coated tablet contains:

Indometacin 25 mg

Indications: Acute and chronic musculoskeletal disorders and arthritic disorders (RA, ankylosing spondylitis, osteoarthritis, lumbago, acute gouty arthritis).

Packaging: 1000 tablets

Nonsteroidal Anti-Inflammatory Drugs (NSAIDs)



Inmed White Tablets

Each film coated tablet contains:

Indometacin 25 mg

Indications: Anti-inflammatory.

Packaging: 1000 tablets

Nonsteroidal Anti-Inflammatory Drugs (NSAIDs)



Me-C 1000

Each film coated tablet contains:

Total Vitamin C	1000 mg
From Ascorbic Acid	400 mg
Sodium Ascorbate	350 mg
(Equiv. to Ascorbic Acid 300 mg)	
Calcium Ascorbate	400 mg
(Equiv. to Ascorbic Acid 300 mg)	

No preservative, flavoring agents.

Indication: Treatment of Vitamin C deficiency.

Packaging: 60 tablets

%Thai RDI

Citrus Bioflavonoids Extract	50 mg
Rutin	50 mg
Hesperidin	50 mg
Rose Hips Extract Dry Conc.	62.5 mg
(Equiv. to Rose Hips 250 mg)	
Acerola Extract Dry Conc.	12.5 mg
(Equiv. to Acerola 50 mg)	

Multivitamins / with Minerals



Naproxac Tablets

Each film coated tablet contains:

Naproxen Sodium equivalent to Naproxen 250 mg

Indications: Relief dysmenorrhea, acute pain, musculoskeletal disorder, rheumatoid arthritis, osteoarthritis, ankylosing spondylitis, acute gout and migraine headache.

Packaging: 500 tablets

Nonsteroidal Anti-Inflammatory Drugs (NSAIDs)



Neurovit Tablets

Each film coated tablet contains:

Thiamine Mononitrate 100 mg
 Pyridoxine HCl 200 mg
 Cyanocobalamin 200 mcg

Indications: Neuritis due to alcohol, diabetics and pregnancy. Peripheral neuritis, beriberi due to Vitamin B1 deficiency.

Packaging: 1000 tablets
 10 x 10 tablets (blister pack)

Vitamin B



Neutromed (800 mg) Tablets

Each film coated tablet contains:

Piracetam 800 mg

Indications: Confusion in old age. Cerebral vascular insufficiency, cerebral dysfunction due to trauma hypoxia, or toxicity. Involutional syndrome related to aging. Subjective symptoms associated with alcoholism.

Packaging: 10 x 10 tablets (blister pack)

Nootropics & Neurotonics / Neurotrophics



Normed 200 Tablets

Each film coated tablet contains:

Norfloxacin 200 mg

Indications: Infections caused by sensitive pathogens in the urinary tracts and gastro-intestinal tracts.

Packaging: 1000 tablets

Antibiotics-Quinolones



Normed 400 Tablets

Each film coated tablet contains:

Norfloxacin 400 mg

Indications: Infections caused by sensitive pathogens in the urinary tracts and gastro-intestinal tracts.

Packaging: 500 tablets

Antibiotics-Quinolones



Normed 400-U Tablets

Each film coated tablet contains:

Norfloxacin 400 mg

Indications: Infections caused by sensitive pathogens in the urinary tracts and gastro-intestinal tracts.

Packaging: 500 tablets

Antibiotics-Quinolones



Ofloxacin 200 Tablets

Each film coated tablet contains:

Ofloxacin 200 mg

Indications: For treatment of infections caused by susceptible bacteria such as respiratory tract infections, gastrointestinal tract infections, urinary tract and cervix infections, skin and soft tissue infections.

Packaging: 1000 tablets

Antibiotics-Quinolones



Piromed (20 mg) Tablets

Each film coated tablet contains:

Piroxicam 20 mg

Indications: Osteoarthritis, ankylosing spondylitis, acute musculoskeletal disorder and acute gout.

Packaging: 1000 tablets

Nonsteroidal Anti-Inflammatory Drugs (NSAIDs)



Ponmed (500 mg) Tablets

Each film coated tablet contains:

Mefenamic Acid 500 mg

Indications: Symptomatic relief of mild to moderate pain, dysmenorrhea.

Packaging: 25 x 10 tablets (blister pack)

Analgesics & Antipyretics



Ponmed-R Tablets

Each film coated tablet contains:

Mefenamic Acid 500 mg

Indications: Symptomatic relief of mild to moderate pain, dysmenorrhea.

Packaging: 1000 tablets

Analgesics & Antipyretics



Volclonac-R Tablets

Each film coated tablet contains:

Diclofenac Sodium 25 mg

Indications: Acute and chronic treatment of the signs and symptoms of rheumatoid arthritis, osteoarthritis and ankylosing spondylitis.

Packaging: 1000 tablets

Nonsteroidal Anti-Inflammatory Drugs (NSAIDs)



Z-B-C Tablets

Each film coated tablet contains:

Ascorbic Acid	100 mg	Vitamin B6	5 mg
Vitamin B1	10 mg	Vitamin E	30 IU
Vitamin B2	2 mg	Zinc	15 mg
Nicotinamide	20 mg		

Indications: Vitamin B and Vitamin C Supplement with Zinc.

Packaging: 100 tablets
1000 tablets
1 x 10 tablets

Multivitamins / with Minerals



Zyrmex Tablets

Each film coated tablet contains:

Cetirizine di HCl 10 mg

Indications: Perennial allergic rhinitis, acute and chronic urticaria and other allergic dermatological disorders, allergic conjunctivitis.

Packaging: 1000 tablets

Antihistamines & Antiallergics



Acetadrine Tablets

Each tablet contains:


Paracetamol 500 mg

Orphenadrine Citrate 35 mg

Indications: For muscular pain.

Packaging: 1000 tablets

Muscle Relaxants



Amato Tablets

Each tablet contains:

Amylase (Diastase) 80 mg Scopolia Extract 2.5 mg Orange Oil 0.3 mg

Thiamine Mononitrate 1 mg Cinnamon Oil 0.3 mg Fennel Oil 0.3 mg


Sodium Bicarbonate 80 mg Clove Oil 0.3 mg Menthol 1.0 mg

Calcium Carbonate Precipitated 80 mg Ginger Oil 0.3 mg

Indications: Gastric pain, heart-burn, belching hyperacidity, acute and chronic gastritis, other gastroenteric symptoms due to dyspepsia.

Packaging: 1000 tablets

GIT Regulators, Antiflatulents & Anti-Inflammatories



Amoximed 125 Tablets

Each tablet contains:

Amoxicillin Trihydrate equivalent to Amoxicillin Base 125 mg

Indications: Treatment of otitis media, sinusitis and infections caused by susceptible organisms involving respiratory tract, skin and urinary tract, prophylaxis of bacterial endocarditis in patients undergoing surgical or dental procedures.

Packaging: 10 x 10 tablets (blister pack)

Antibiotics-Penicillins



Andromed Tablets

Each tablet contains:

Oxymetholone 50 mg

Indications: Anabolic and androgenic steroid properties. It is used mainly in the treatment of bone marrow failure anaemias such as aplastic anaemias.

Packaging: 100 tablets

Anabolic Agents



Asthtermine Tablets

Each tablet contains:

Terbutaline Sulfate 2.5 mg

Indications: Relief of bronchospasm in respiratory diseases such as asthma, asthmatic bronchitis.

Packaging: 1000 tablets

Antiasthmatic Preparations



Bimed Tablets

Each tablet contains:

Bromhexine HCl 8 mg Phenylephrine HCl 10 mg

Brompheniramine Maleate 4 mg Guaifenesin 100 mg

Indications: Symptomatic relief of common cold and expectorant.

Packaging: 1000 tablets

10 x 10 tablets (blister pack)

Cough & Cold Preparations



Chlorpheniramine Maleate Tablets

Each tablet contains:

Chlorpheniramine Maleate 4 mg

Indications: Antihistaminic.

Packaging: 1000 tablets

Antihistamines & Antiallergics



Cintamol Tablets

Each tablet contains:

Salbutamol Sulphate equivalent to Salbutamol Base 2 mg

Indications: Sympathomimetic used as a bronchodilator.

Packaging: 1000 tablets

Antiasthmatic Preparations



Cinzine Tablets

Each tablet contains:

Cinnarizine 25 mg

Indications: Cerebral and peripheral circulatory disorder, equilibrium disturbances, vertigo.

Packaging: 1000 tablets

Peripheral Vasodilators & Cerebral Activators



Cinzine-y Tablets

Each tablet contains:

Cinnarizine 25 mg

Indications: Cerebral and peripheral circulatory disorder, equilibrium disturbances, vertigo.

Packaging: 1000 tablets
10 x 10 tablets (blister pack)

Peripheral Vasodilators & Cerebral Activators



Cisapin Tablets

Each tablet contains:

Cisapride 5 mg

Indications: Gastroparesis, digestive discomfort, gastro-oesophageal reflux disorder. Restoration of colonic propulsive motility as a long-term treatment of chronic constipation.

Packaging: 500 tablets

GIT Regulators, Antiflatulents & Anti-Inflammatories



Colchicine Tablets

Each tablet contains:

Colchicine 500 mcg

Indications: Relief gout attacks.

Packaging: 1000 tablets

Hyperuricemia & Gout Preparations



Cypromed-P Tablets

Each tablet contains:

Anhydrous Cyproheptadine HCl 4 mg

Indications: Antihistaminic, Antipruritic.

Packaging: 1000 tablets

Antihistamines & Antiallergics



Dexa Purple Tablets

Each tablet contains:

Dexamethasone 0.5 mg

Indications: Anti-inflammatory.

Packaging: 1000 tablets
10 x 10 tablets

Corticosteroid Hormones



Disperlin Tablets

Each dispersible tablet contains:

Amoxycillin Trihydrate equivalent to Amoxycillin Base 125 mg

Indications: Treatment of otitis media, sinusitis and infections caused by susceptible organisms involving respiratory tract, skin and urinary tract, prophylaxis of bacterial endocarditis in patients undergoing surgical or dental procedures.

Packaging: 10 x 10 tablets (blister pack)

Antibiotics-Penicillins



Domilium-M Tablets

Each tablet contains:

Domperidone Maleate equivalent to Domperidone 10 mg

Indications: Symptomatic treatment of nausea, vomiting, or other symptoms associated with delayed gastric emptying.

Packaging: 1000 tablets

GIT Regulators, Antiflatulents & Anti-Inflammatories



Famotin-F20 Tablets

Each tablet contains:

Famotidine 20 mg

Indications: Duodenal ulcer, benign gastric ulcer, Zollinger-Ellison syndrome.

Packaging: 1000 tablets

Antacids, Antireflux Agents & Antiulcerants



Famotin-F40 Tablets


Each tablet contains:

Famotidine 40 mg

Indications: Duodenal ulcer, benign gastric ulcer, Zollinger-Ellison syndrome.

Packaging: 1000 tablets

Antacids, Antireflux Agents & Antiulcerants



Glibenese Tablets

Each tablet contains:

Glibenamide 5 mg

Indications: Non-insulin dependent diabetes mellitus.

Packaging: 1000 tablets

Antidiabetic Agents



Griseofulvin Tablets

Each tablet contains:

Griseofulvin 125 mg

Indications: Antibiotic and systemically in the treatment of fungal infections.

Packaging: 10 x 10 tablets (blister pack)

Antifungals



Ibucin Forte Tablets

Each tablet contains:

Ibuprofen 400 mg

Indications: For relief fever, rheumatoid arthritis, relief of the signs and symptoms of osteoarthritis and dysmenorrhea.

Packaging: 1000 tablets

Nonsteroidal Anti-Inflammatory Drugs (NSAIDs)



L.S.P. Tablets

Each tablet contains:

Magnesium Hydroxide 300 mg

Indications: Antacid and Laxative.

Packaging: 1000 tablets

Antacids, Antireflux Agents & Antiulcerants



Methocarbamol Tablets

Each tablet contains:

Methocarbamol 500 mg

Indications: Skeletal muscle relaxant.

Packaging: 1000 tablets

Muscle Relaxants



Milk Of Magnesia Tablets

Each tablet contains:

Magnesium Hydroxide 300 mg

Indications: Use short-term treatment of symptoms of hyperacidity, laxative.

Packaging: 1000 tablets

Antacids, Antireflux Agents & Antiulcerants



Minisolone Tablets

Each tablet contains:

Prednisolone 5 mg

Indications: Anti-inflammatory.

Packaging: 1000 tablets

10 x 10 tablets

Corticosteroid Hormones



Modumed Tablets

Each tablet contains:

Hydrochlorothiazide 25 mg

Amiloride HCl 2.5 mg

Timolol Maleate 10 mg

Indications: Hypertension.

Packaging: 500 tablets

Beta Blockers



Mucon Tablets

Each tablet contains:

Ambroxol HCl 30 mg

Indications: Acute and chronic respiratory tract diseases accompanied by abnormal bronchial secretions.

Packaging: 1000 tablets

Cough & Cold Preparations



Mucosil Tablets

Each tablet contains:

Carbocysteine 375 mg

Indications: Acute and chronic bronchitis, bronchiectasis asthmatic bronchitis and emphysema.

Packaging: 500 tablets

Cough & Cold Preparations



Onacine Tablets

Each tablet contains:

Paracetamol 500 mg
Orphenadrine Citrate 35 mg

Indications: For muscular pain associated with muscle spasm e.g. non-articular rheumatism.

Packaging: 1000 tablets
10 x 10 tablets (blister pack)

Muscle Relaxants



Onacine-G Tablets

Each tablet contains:

Paracetamol 500 mg
Orphenadrine Citrate 35 mg

Indications: For muscular pain associated with muscle spasm e.g. non-articular rheumatism.

Packaging: 1000 tablets

Muscle Relaxants



Ostemed Caplet

Each tablet contains:

Ibuprofen 200 mg
Paracetamol 325 mg

Indications: Relief of mild to moderate pain of musculoskeletal origin such as low back syndrome bursitis, arthritis, rheumatism, myalgias, sprains, strains and traumatic injuries.

Packaging: 1000 caplets

Nonsteroidal Anti-Inflammatory Drugs (NSAIDs)



Paroflex Tablets

Each tablet contains:

Paracetamol 500 mg
Orphenadrine Citrate 35 mg

Indications: For painful muscular conditions, non-articular rheumatism.

Packaging: 1000 tablets

Muscle Relaxants



Pycetol 500 Tablets

Each tablet contains:

Paracetamol 500 mg

Indications: Reduction of fever and relief of mild to moderate pain due to headache, colds, toothache, dysmenorrhea, muscle pain and joint pain.

Packaging: 1000 tablets

Analgesics & Antipyretics



Plasitil Tablets

Each tablet contains:

Metoclopramide HCl equivalent to Anhydrous Metoclopramide HCl 10 mg

Indications: Disturbance of GI motility. Nausea and vomiting of central and peripheral origin associated with surgery, metabolic diseases, infectious disease and drug induced, radiological procedures of GIT.

Packaging: 1000 tablets

Antiemetics & Antivertigo Drugs



Romivon tablets

Each tablet contains:

Dextromethorphen HBr 15 mg

Bromhexine HCl 8 mg

Indications: Mucolytic in tracheobronchitis and relief of useless or harmful cough, as in bronchitis, whooping cough and measles.

Packaging: 1000 tablets
10 x 10 tablets (blister pack)

Cough & Cold Preparations



Sodamint Tablets

Each tablet contains:

Sodium Bicarbonate 300 mg

Peppermint Oil 0.003 ml

Indications: Antacid, Systemic Alkalinising substance.

Packaging: 1000 tablets

Antacids, Antireflux Agents & Antiulcerants



Sucrafen Tablets

Each tablet contains:

Sucralfate 1 g

Indications:

1. Short-term (up to 8 weeks) treatment of duodenal ulcer and prevention of duodenal ulcer recurrence.
2. Short-term treatment of benign gastric ulcer.
3. Treatment of gastroesophageal reflux disease.

Packaging: 10 x 10 tablets (blister pack)

Antacids, Antireflux Agents & Antiulcerants



Toditen Tablets

Each tablet contains:

Ketotifen 1 mg

Indications: Long term prevention of bronchial asthma, allergic bronchitis, asthmatic symptom associated with hay fever.

Packaging: 1000 tablets

Antiasthmatic Preparations



Trenmed Tablets

Each tablet contains:

Pentoxifylline 100 mg

Indications: Vasodilator, used in the treatment of peripheral vascular disorders.

Packaging: 1000 tablets

Haemorrhologicals



Utergan Tablets

Each tablet contains:

Dicyclomine HCl 10 mg

Mefenamic Acid 250 mg

Indications: Painful spasm of smooth muscle in dysmenorrhea, gastro-intestinal tract, biliary and renal colic.

Packaging: 1000 tablets

Antispasmodics



Vagestab Tablets

Each vaginal tablet contains :

Clotrimazole 500 mg

Indications: Broad-spectrum antimycotic with fungicidal and trichomonocidal action.

Packaging: 25 x 1 tablet (blister pack)

Topical Antifungals & Antiparasitics



Viropox 400 Tablets

Each tablet contains:

Aciclovir 400 mg

Indications: For treatment of initial and recurrent herpes simplex, herpes zoster and varicella (chickenpox).

Packaging: 100 tablets
10 x 10 tablets (blister pack)

Antivirals



Viropox 800 Tablets

Each tablet contains:

Aciclovir 800 mg

Indications: Viral infections due to herpes zoster and varicella zoster.

Packaging: 10 x 10 tablets (blister pack)

Antivirals



Zytine-B Tablets

Each tablet contains:

Cetirizine di HCl 10 mg

Indications: Perennial allergic rhinitis, seasonal allergic rhinitis, acute and chronic urticaria and other allergic dermatological disorders, allergic conjunctivitis.

Packaging: 1000 tablets

Antihistamines & Antiallergics



Inmed Tablets

Each sugar coated tablet contains:

Indometacin 25 mg

Indications: Anti-inflammatory.

Packaging: 1000 tablets
20 x 50 tablets (blister pack)

Nonsteroidal Anti-Inflammatory Drugs (NSAIDs)



Multivit Tablets

Each sugar coated tablet contains:

Vitamin A 2500 IU Vitamin B2 0.5 mg

Vitamin D 300 IU Vitamin C 15 mg

Vitamin B1 1 mg Nicotinamide 7.5 mg

Indications: For prevention of multiple vitamin deficiencies.

Packaging: 10 x 10 tablets (blister pack)

Multivitamins / with Minerals



Simpro Tablets

Each sugar coated tablet contains:

Cyproheptadine HCl 11/2 H₂O equivalent to Cyproheptadine HCl 2 mg

Indications: Relief of seasonal allergic rhinitis, other allergic symptoms including urticaria.

Packaging: 10 x 10 tablets (blister pack)

Antihistamines & Antiallergics



Sinepotamin 22 Tablets

Each sugar coated tablet contains:

Lysine HCl 250 mg Vitamin C 30 mg

Vitamin A 2000 IU Vitamin D 200 IU

Vitamin B1 1 mg Vitamin E 7.5 mg

Vitamin B2 1 mg Nicotinamide 7.5 mg

Vitamin B6 0.5 mg

Indications: Vitamin supplement.

Packaging: 500 tablets
10 x 10 tablets (blister pack)

Multivitamins / with Minerals



Trinamin Tablets

Each sugar coated tablet contains:

Thiamine Mononitrate	50 mg
Pyridoxine HCl	5 mg
Cyanocobalamin	50 mcg

Indications: Prevention and treatment of vitamin B1, vitamin B6, vitamin B12 deficiencies.

Packaging: 1000 tablets
10 x 10 tablets (blister pack)

Vitamin B



Trinamin-White Tablets

Each sugar coated tablet contains:

Thiamine Mononitrate	50 mg
Pyridoxine HCl	5 mg
Cyanocobalamin	50 mcg

Indications: Prevention and treatment of vitamin B1, vitamin B6, vitamin B12 deficiencies.

Packaging: 1000 tablets

Vitamin B



Vertamin Tablets

Each sugar coated tablet contains:

Dimenhydrinate	25 mg
Pyridoxine HCl	25 mg

Indications: Morning sickness, anti nausea, vomiting, vertigo, motion sickness.

Packaging: 1000 tablets
10 x 10 tablets (blister pack)

Antiemetics & Antivertigo Drugs

External / Topical Medicines

Cream
Ointment
Solution
Lotion



Betanate Cream

Contents:

Betamethasone Dipropionate equivalent to Betamethasone 0.05% w/w

Indications: For skin inflammation, rash, pruritus.

Packaging: 500 grams

Topical Corticosteroids



Camazole Cream


Each 100 g contains:

Clotrimazole 1 g

Indications: The confirmed indications for camazole include: dermatomycoses due to dermatophytes e.g. trichophyton species, yeast (candida species), mold and other fungi.

Packaging: 500 grams

Topical Antifungals & Antiparasitics



Clomaderm-B-Cream

Contents:

Clotrimazole 1%

Betamethasone Dipropionate equivalent to Betamethasone 0.05%

Indications: For topical application in the treatment of various dermal fungal infections.

Packaging: 12 x 15 grams

Topical Anti-Infectives with Corticosteroids



Corticort-C Cream

Contents:

Hydrocortisone Acetate 1% w/w

Chloramphenicol 1% w/w

Indications: For treatment of skin infection and inflammation in dermatitis, eczema, allergic dermatoses.

Packaging: 12 x 15 grams

Topical Corticosteroids



Dermonar Cream

Contents:

Clobetasol Propionate 0.05% w/w

Indications: Psoriasis (excluding wide spread plaque psoriasis), recalcitrant eczemas, lichen planus & discoid lupus erythematosus & other conditions which do not respond satisfactorily to less-active steroids.

Packaging: 12 x 5 grams
500 grams

Topical Corticosteroids



Fungimed Cream

Contents:

Ketoconazole 2% w/w

Indications: Treatment of dermatophyte infections of the skin: cutaneous candidiasis, pityriasis versicolor, seborrhoeic dermatitis.

Packaging: 12 x 5 grams
500 grams

Topical Antifungals & Antiparasitics



Kenolone Oral Paste

Contents:

Triamcinolone Acetonide 0.1% w/w in Oral Paste

Indications: For adjunctive treatment and temporary relief of symptoms associated with oral inflammatory lesion and ulcerative lesion resulting from trauma.

Packaging: 12 x 5 grams

Mouth / Throat Preparations



Trinoderm Cream

Contents:

Triamcinolone Acetonide 0.1% w/w

Indications: Anti-inflammatory of the skin.

Packaging: 12 x 15 grams

Topical Corticosteroids



Trinoderm 02 Cream

Contents:

Triamcinolone Acetonide 0.02% w/w

Indications: Relief of the inflammatory and pruritic manifestations of corticosteroid responsive dermatoses. Treatment of skin allergy and pruritus sensitive skin to chemical and urticaria.

Packaging: 500 grams

Topical Corticosteroids



Viropox Cream

Contents:

Aciclovir 5%

Indications: Treatment of herpes genitalis and mucocutaneous infection caused by herpes simplex virus.

Packaging: 500 grams

Topical Antivirals



Betasalic Ointment

Contents:

Betamethasone Dipropionate equivalent to Betamethasone 0.05% w/w
Salicylic Acid 3% w/w

Indications: For hyperkeratotic and dry skin inflammation that response to topical corticosteroid such as psoriasis, chronic atopic dermatitis, lichen planus, including nummular eczema, hand eczema, eczematous dermatitis, pompholyx, seborrheic dermatitis, ichthyosis vulgaris and other ichthyotic condition.

Packaging: 12 x 15 grams

Topical Anti-Infectives with Corticosteroids



Piroban Ointment

Contains:

Mupirocin 2% w/w

Indications: Primary and secondary skin infections due to susceptible pathogens.

Packaging: 12 x 5 grams

Topical Antibiotics



Proctyl Ointment

Each 1 g contains:

Hydrocortisone Acetate 5 mg
Zinc Oxide 200 mg
Benzocaine 10 mg
Ointment Base q.s.

Indications: The local management for relieves inflammation, haemorrhoids and pruritus ani.

Packaging: 12 x 10 grams

Anorectal Preparations



Canzol Topical Solution

Each ml contains:

Clotrimazole 10 mg

Indications: Product is indicated in treatment of cutaneous candidiasis caused by *Candida albicans*, the topical treatment of the following dermal infections: tinea pedis, tinea cruris, and tinea corporis due to *Trichophyton rubrum*, *Trichophyton mentagrophytes*, *Epidermophyton floccosum*, and *Microsporum canis*.

Packaging: 12 x 30 ml

Topical Antifungals & Antiparasitics



Clopirox Solution

Each ml contains:

Ciclopirox Olamine 10 mg

Indications: Fungal infections of the skin.

Packaging: 12 x 15 ml

Topical Antifungals & Antiparasitics



Earwax Docusate

Each ml contains:

Docusate Sodium 5 mg

Indications: For occasional use as an aid to soften, loosen, and remove excessive earwax.

Packaging: 12 x 15 ml

Ear Preparations



Dermonar Lotion

Composition:

Clobetasol Propionate 0.05% w/v

Indications: Psoriasis (excluding widespread plaque psoriasis), recalcitrant eczemas, lichen planus, discoid lupus erythematosus, and other conditions which do not respond satisfactorily to less active steroids.

Packaging: 12 x 30 ml

50 x 30 ml

Topical Corticosteroids



Trinoderm Lotion

Contents:

Triamcinolone Acetonide 0.1% w/v

Indications: Trinoderm lotion is a medium potency ranking topical steroid. Use in moderate inflammatory dermatoses, such as atopic dermatitis, contact dermatitis, eczematous dermatitis, generalized erythroderma, neurodermatitis, nummular eczema, insect bite and seborrhoeic dermatitis. May be used on the face and intertriginous areas for a limited duration.

Packaging: 12 x 30 ml

50 x 30 ml

Topical Corticosteroids

Liquid Preparations

Drops

Suspension

Syrup

Dry syrup



Brumed Drops

(Orange Flavor)

Each 1 ml (1 dropperful) contains:

Ibuprofen 40 mg

Indications: Reduction of fever, relief of mild to moderate pain.

Packaging: 12 x 15 ml

Nonsteroidal Anti-Inflammatory Drugs (NSAIDs)



Defoama Drops

(Peppermint Flavor)

Each 0.6 ml (1 dropperful) contains:

Simethicone 40 mg

Indications: Relief of abdominal distention due to entrapped gas in the gastrointestinal tract.

Packaging: 12 x 15 ml

GIT Regulators, Antiflatulents & Anti-Inflammatories



Defurlin Drops

(Cherry Flavor)

Each 0.6 ml (1 dropperful) contains:

Brompheniramine Maleate 2 mg

Phenylephrine HCl 2.5 mg

Indications: Relief of running nose, nasal congestion.

Packaging: 12 x 15 ml

Cough & Cold Preparations



FerroSol Drops

(Peppermint Flavor)

Each 0.6 ml (1 dropperful) contains:

Ferrous Fumarate 45 mg

(Equivalent to 15 mg Iron)

Indications: For iron deficiency anemia.

Packaging: 12 x 15 ml

Antianemics (Pre & Post Natal Vitamins & Minerals)



LSP Multivitamin Syrup For Infant

Each ml contains:

		%RDA			%RDA
Vitamin A	1500 IU	180%	Vitamin B12	0.60 mcg	120%
Vitamin B1	0.50 mg	166.67%	Vitamin C	50.00 mg	100%
Vitamin B2	0.50 mg	125%	Vitamin D3	400 IU	100%
Vitamin B6	0.50 mg	166.67%	Nicotinamide	5.00 mg	125%

Indications: For the prevention of vitamin deficiencies during the 6 to 11 months of infancy.

Packaging: 12 x 15 ml

Multivitamins / with Minerals



Pycetol Drops

(Raspberry Flavor)

Each 0.6 ml (1 dropperful) contains:

Paracetamol 60 mg

Indications: Reduction of fever and relief of mild to moderate pain due to headache, colds, toothache and muscle pain.

Packaging: 12 x 15 ml

Analgesics & Antipyretics



Pycetol Suspension Drops

(Orange Flavor)

Each 0.6 ml (1 dropperful) contains:

Paracetamol 60 mg

Indications: Reduction of fever and relief of mild to moderate pain due to headache, colds, toothache and muscle pain.

Packaging: 12 x 15 ml

Analgesics & Antipyretics



Brumed-PL Suspension

(Grape Flavor)

Each 5 ml contains:

Ibuprofen 100 mg

Indications: Relief of pain and fever.

Packaging: 50 x 60 ml

Nonsteroidal Anti-Inflammatory Drugs (NSAIDs)



Brumed Suspension

(Orange Flavor)

Each 5 ml contains:

Ibuprofen 100 mg

Indications: Anti-inflammatory, Analgesic, Antipyretic.

Packaging: 50 x 60 ml

Nonsteroidal Anti-Inflammatory Drugs (NSAIDs)



Cefadril Apricot For Oral Suspension

(Apricot Flavor)

When mixed with water to specified volume, each 5 ml contains:

Cefadroxil Monohydrate equivalent to Cefadroxil 125 mg

Indications: Infection caused by susceptible bacteria of the upper and lower respiratory tract, skin and soft tissue, genitourinary tract, osteomyelitis and septic arthritis infections.

Packaging: 50 x 60 ml

Antibiotics-Cephalosporins



Cefadril For Oral Suspension

(Orange Flavor)

When mixed with water to specified volume, each 5 ml contains:

Cefadroxil Monohydrate equivalent to Cefadroxil 125 mg

Indications: Infection caused by susceptible bacteria of the upper and lower respiratory tract, skin and soft tissue genitourinary tract, osteomyelitis and septic arthritis infections.

Packaging: 12 x 60 ml

Antibiotics-Cephalosporins



Cefadril Grape For Oral Suspension (Grape Flavor)

When mixed with water to specified volume, each 5 ml contains:

Cefadroxil Monohydrate equivalent to Cefadroxil 125 mg

Indications: Infection caused by susceptible bacteria of the upper and lower respiratory tract, skin and soft tissue, genitourinary tract, osteomyelitis and septic arthritis infections.

Packaging: 50 x 60 ml

Antibiotics-Cephalosporins



Cefuxime For Oral Suspension (Fruit Flavor)

When mixed with water to specified volume, each 5 ml contains:

Cefuroxime 125 mg (As Cefuroxime Axetil)

Indications: Infection of respiratory tract, ENT, GUT, skin & soft tissue, acute uncomplicated gonococcal urethritis & cervicitis, otitis media.

Packaging: 12 x 60 ml

Antibiotics-Cephalosporins



Cimegel

Each 1 ml contains:

Cimetidine 10 mg

Indications: For relieves of symptoms associated with hyperacidity including heartburn acid indigestion and sour stomach, benign gastric and duodenal ulcer, gastroesophageal reflux.

Packaging: 24 x 240 ml

Antacids, Antireflux Agents & Antiulcerant



Diargel Suspension

Each 5 ml contains:

Activated Attapulgate 500 mg

Indications: Symptomatic treatment of mild to moderate acute diarrhea as an adjunct to fluid supplement.

Packaging: 50 x 60 ml

Antidiarrheals



Domilium Suspension

Each 5 ml contains:

Domperidone 5 mg

Indications: Nausea and vomiting of various causes e.g. post-operative, radiotherapy, hiccups.

Packaging: 50 x 60 ml

GIT Regulators, Antiflatulents & Anti-Inflammatories



Enmed Suspension

(Raspberry + Vanilla Flavor)

Each 5 ml contains:

Albendazole 200 mg

Indications: Anthelmintic for single or mixed parasite infestation e.g. roundworm, whipworm, pinworm, threadworm, hookworm, tapeworm, Strongyloides stercoralis, Opisthorchis viverrini (liverfluke) and Opisthorchis sinensis.

Packaging: 12 x 10 ml

Antiparasitics



Funide Suspension

(Pineapple Flavor)

Each 5 ml contains:

Nifuroxazide 218 mg

Indications: For the treatment of acute and chronic diarrhea, dysentery, inflammatory colitis.

Packaging: 12 x 60 ml

50 x 60 ml

Antidiarrheals



Furlin Suspension

(Strawberry Flavor)

Each 5 ml contains:

Paracetamol 120 mg

Indications: Reduction of fever and relief of mild to moderate pain due to headache, colds, toothache and muscle pain.

Packaging: 50 x 60 ml

Analgesics & Antipyretics



Liquid Zantadine 200

Each 1 ml contains:

Cimetidine 10 mg

Indications: For relieves of symptoms associated with hyperacidity including heartburn acid indigestion and sour stomach, benign gastric and duodenal ulcer, gastroesophageal reflux.

Packaging: 24 x 240 ml

Antacids, Antireflux Agents & Antiulcerants



Liquid Zantagel Suspension

Each 1 ml contains:

Cimetidine 10 mg

Indications: For relieves of symptoms associated with hyperacidity including heartburn acid indigestion and sour stomach, benign gastric and duodenal ulcer, gastroesophageal reflux.

Packaging: 24 x 240 ml

Antacids, Antireflux Agents & Antiulcerants



Pycetol F Suspension

(Orange Flavor)

Each 5 ml contains:

Paracetamol 250 mg

Indications: Reduction of fever and relief of mild to moderate pain due to headache, colds, toothache and muscle pain.

Packaging: 12 x 60 ml

50 x 60 ml

Analgesics & Antipyretics



Pycetol Suspension

(Strawberry + Orange flavor)

Each 5 ml contains:

Paracetamol 120 mg

Indications: Reduction of fever and relief of mild to moderate pain due to headache, colds, toothache and muscle pain.

Packaging: 50 x 60 ml

Analgesics & Antipyretics



Rithrocin Orange Suspension

(Orange Flavor)

Each 5 ml contains:

Erythromycin Estolate equivalent to Erythromycin Base 125 mg

Indications: Bacterial infection due to sensitive organism that causes upper and lower respiratory infections, skin and soft tissue infections.

Packaging: 12 x 60 ml
50 x 60 ml

Antibiotics-Macrolides



Rithrocin Suspension

(Sala Cider Flavor)

Each 5 ml contains:

Erythromycin Estolate equivalent to Erythromycin Base 125 mg

Indications: Bacterial infection due to sensitive organism that causes upper and lower respiratory infections, skin and soft tissue infections.

Packaging: 50 x 60 ml

Antibiotics-Macrolides



Sinepotamin LV Suspension

(Orange Flavor)

Each 5 ml contains:

Vitamins

Lysine Hydrochloride

Content

125 mg

Vitamins

Vitamin B2

Content

2.00 mg

Vitamin A+D3 Water Miscible

0.015 ml

Vitamin B3

25 mg

(equivalent to Vitamin A 1500 IU and Vitamin D3 300 IU)

(Nicotinamide)

Vitamin B1

6.25 mg

Vitamin B6

1.25 mg

Indications: Tonicizing.

Packaging: 12 x 60 ml
50 x 60 ml

Multivitamins / with Minerals



Virovir Suspension

(Banana Flavor)

Each 5 ml contains:

Aciclovir 200 mg

Indications: Treatment of initial episodes and recurrent of genital herpes simplex virus infections in immunocompetent and immunocompromised patients, treatment of initial and recurrent mucocutaneous HSV (HSV-1 and HSV-2) infections in immunocompromised patients, treatment of varicella zoster (chickenpox) infection in immunocompetent patients, herpes zoster (Shingles) infections cause by varicella-zoster virus in any adult patient with herpes zoster therapy is most effective when start within 48 hours of the onset of rash.

Packaging: 12 x 60 ml

Antivirals



Vixa Suspension

Each 5 ml contains:

Ibuprofen 100 mg

Indications: Relief of pains and fever.

Packaging: 50 x 60 ml

Nonsteroidal Anti-Inflammatory Drugs (NSAIDs)



Bimed Syrup

(Grape Flavor)

Each 5 ml contains:

Brompheniramine Maleate	2 mg	Glyceryl Guaiacolate	100 mg
Phenylephrine Hydrochloride	5 mg	Bromhexine Hydrochloride	4 mg

Indications: Expectorant, Decongestant.

Packaging: 12 x 60 ml
50 x 60 ml

Cough & Cold Preparations



Bimed Syrup

(Grape Flavor)

Each 5 ml contains:

Brompheniramine Maleate	2 mg	Guaifenesin	100 mg
Phenylephrine Hydrochloride	5 mg	Bromhexine Hydrochloride	4 mg

Indications: Expectorant, Decongestant.

Packaging: 12 x 60 ml
50 x 60 ml

Cough & Cold Preparations



Bromsil Syrup

(Cherry Flavor)

Each 5 ml contains:

Bromhexine HCl	4 mg
----------------	------

Indications: Mucolytic in tracheobronchitis, emphysema with bronchitis, pneumoconiosis, chronic inflammatory pulmonary conditions, bronchitis with bronchospasm, asthma. During acute exacerbations of bronchitis, Bromsil should be given with the appropriate antibiotic.

Packaging: 50 x 60 ml

Cough & Cold Preparations



Chlorphen Syrup

(Banana Flavor)

Each 5 ml contains:

Chlorpheniramine Maleate	2 mg
--------------------------	------

Indications: Relieve allergic symptoms and congestion such as allergic rhinitis.

Packaging: 50 x 60 ml

Antihistamines & Antiallergics



Cintamol Expectorant

(Raspberry Flavor)

Each 5 ml contains:

Salbutamol Sulphate equivalent to Salbutamol 1 mg
Guaifenesin 50 mg

Indications: Bronchospasm in bronchial asthma, chronic bronchitis emphysema.

Packaging: 12 x 60 ml
50 x 60 ml

Antiasthmatic Preparations



Cintamol Syrup

(Strawberry Flavor)

Each 5 ml contains:

Salbutamol Sulphate equivalent to Salbutamol 2 mg

Indications: Bronchospasm in bronchial asthma, chronic bronchitis and emphysema.

Packaging: 50 x 60 ml

Antiasthmatic Preparations



Comix Syrup

(Sala Cider + Strawberry Flavor)

Each 5 ml contains:

Chlorphenamine Maleate 2.5 mg
Ammonium Chloride 125.0 mg
Sodium Citrate 55.0 mg

Indications: For relief coughs due to common cold, bronchitis, expectorants and allergic origins.

Packaging: 50 x 60 ml

Cough & Cold Preparations



Cypro Syrup

(Orange Flavor)

Each 5 ml contains:

Cyproheptadine HCl 1 1/2 H₂O equivalent to Anhydrous Cyproheptadine HCl 2 mg

Indications: Antihistamine, relief of allergic reaction, allergic rhinitis and sneezing.

Packaging: 12 x 60 ml
50 x 60 ml

Antihistamines & Antiallergics



Cypro Grape Syrup

(Grape Flavor)

Each 5 ml contains:

Cyproheptadine HCl 1 1/2 H₂O equivalent to Cyproheptadine HCl 2 mg

Indications: Antihistamine, relief of allergic reaction, allergic rhinitis and sneezing.

Packaging: 50 x 60 ml

Antihistamines & Antiallergics



Dexceryl Plus Syrup

(Cherry Flavor)

Each 5 ml contains:

Dextromethorphen HBr 10 mg

Guaifenesin 200 mg

Indications: Antitussive and expectorant, for relief of cough from irritating throat.

Packaging: 50 x 60 ml

Cough & Cold Preparations



Dioctol Syrup

(Vanilla + Peppermint Flavor)

Each 5 ml contains:

Docusate Sodium 20 mg

Indications: Stool softening laxative.

Packaging: 50 x 60 ml

Laxatives & Purgatives



Fecough Syrup

(Sala Cider + Strawberry Flavor)

Each 5 ml contains:

Chlorphenamine Maleate 2.5 mg

Ammonium Chloride 125.0 mg

Indications: Cough syrup for the relief coughs due to common cold, bronchitis, expectorants and allergic origins.

Packaging: 12 x 60 ml

50 x 60 ml

Cough & Cold Preparations



Fe-Fa Syrup

(Pineapple Flavor)

Each 5 ml contains:

Paracetamol	150 mg
Dextromethorphan HBr	10 mg
Chlorphenamine Maleate	1 mg

Indications: Relief of fever running nose and coughs due to common cold.

Packaging: 12 x 60 ml
50 x 60 ml

Cough & Cold Preparations



Glyceril Guaiacolate Syrup

(Pineapple Flavor)

Each 5 ml contains:

Guaifenesin	100 mg
-------------	--------

Indications: Expectorant.

Packaging: 50 x 60 ml

Cough & Cold Preparations



Lorityne Syrup

(Strawberry + Orange Flavor)

Each 5 ml contains:

Loratadine	5 mg
------------	------

Indications: For relief of symptoms associated with allergic rhinitis, such as sneezing, nasal discharge (rhinorrhea) and itching, as well as ocular itching and burning. Nasal and ocular signs and symptoms are relieved after oral administration.

Packaging: 50 x 60 ml

Antihistamines & Antiallergics



Mucon Syrup

Each 5 ml contains:

Ambroxol HCl	30 mg
--------------	-------

Indications: Acute and chronic respiratory tract diseases accompanied by abnormal bronchial secretions.

Packaging: 50 x 60 ml

Cough & Cold Preparations



Mucon 15 Syrup

(Pineapple Flavor)

Each 5 ml contains:

Ambroxol HCl 15 mg

Indications: Acute and chronic diseases of the respiratory tract with pathologically thickened mucus.

Packaging: 50 x 60 ml

Cough & Cold Preparations



Mucosil Syrup

(Raspberry Flavor)

Each 5 ml contains:

Carbocysteine 250 mg

Indications: Acute & chronic bronchitis, bronchiolectasis, asthmatic bronchitis & emphysema.

Packaging: 50 x 60 ml

Cough & Cold Preparations



Mucosil 100 Syrup

(Grape Flavor)

Each 5 ml contains:

Carbocysteine 100 mg

Indications: Treatment of disorder of respiratory tract associated with excessive or viscous mucus.

Packaging: 50 x 60 ml

Cough & Cold Preparations



Multivitamin Syrup

Each 5 ml contains:

		%RDA			%RDA
Vitamin A	1500 IU	150%	Vitamin C	30 mg	50%
Vitamin B1	6.25 mg	416.7%	Vitamin D2	300 IU	150%
Vitamin B2	2.50 mg	147.1%	Nicotinamide	25 mg	131.6%
Vitamin B6	1.25 mg	62.5%	Calcium Pantothenate	2 mg	-
Vitamin B12	6.25 mcg	312.5%			

Indications: For use as multivitamin supplement especially in infant.

Packaging: 50 x 60 ml

Multivitamins / with Minerals



Paracetamol Syrup

(Strawberry Flavor)

Each 5 ml contains:

Paracetamol 120 mg

Indications: Reduction of fever and relief of mild to moderate pain due to headache, colds, toothache and muscle pain.

Packaging: 50 x 60 ml

Analgesics & Antipyretics



Pycetol-Y Syrup

(Pineapple Flavor)

Each 5 ml contains:

Paracetamol 250 mg

Indications: Reduction of fever and relief of mild to moderate pain due to headache, colds, toothache and muscle pain.

Packaging: 50 x 60 ml

Analgesics & Antipyretics



Quantum Syrup

Each 5 ml contains:

		%RDA			%RDA
Vitamin A	1000 IU	100%	Vitamin C	40 mg	100%
Vitamin B1	1.00 mg	166.67%	Vitamin D3	600 IU	100%
Vitamin B2	0.60 mg	100%	Nicotinamide	10 mg	125%
Vitamin B6	1.00 mg	166.67%			
Vitamin B12	2.00 mcg	166.67%			

Indications: Quantum Syrup is indicated for the prevention of vitamin deficiencies during 1 to 8 years of children.

Packaging: 12 x 60 ml
50 x 60 ml

Multivitamins / with Minerals



Respan Expectorant

(Raspberry Flavor)

Each 5 ml contains:

Terbutaline Sulfate 1.5 mg

Guaifenesin 66.5 mg

Indications: Expectorant and bronchodilator in reversible airway obstruction and bronchial asthma.

Packaging: 50 x 60 ml

Antiasthmatic Preparations



Respan Syrup

(Strawberry Flavor)

Each 5 ml contains:

Terbutaline Sulfate 1.5 mg

Indications: Bronchodilator in reversible airway obstruction, and bronchial asthma.

Packaging: 50 x 60 ml

Antiasthmatic Preparations



Sipascol Syrup

(Strawberry Flavor)

Each 5 ml contains:

Dicyclomine HCl 5 mg

Simethicone 50 mg

Indications: Antispasmodic.

Packaging: 12 x 60 ml
50 x 60 ml

Antispasmodics



Toditen Syrup

(Grape + Menthol Flavor)

Each 5 ml contains:

Ketotifen Fumarate equivalent to Ketotifen 1 mg

Indications: Long term prevention of:

- Bronchial asthma.
- Allergic bronchitis.
- Asthmatic symptom associated with hay fever.

Packaging: 50 x 60 ml

Antiasthmatic Preparations



Zytine Syrup

(Pineapple Flavor)

Each 1 ml contains:

Cetirizine HCl 1 mg

Indications: Relief of symptoms associated with

- Seasonal allergic rhinitis.
- Perennial allergic rhinitis.
- Acute and chronic idiopathic urticaria.
- Allergic conjunctivitis.
- Other dermatological disorders.

Packaging: 12 x 60 ml
50 x 60 ml

Antihistamines & Antiallergics



Amoxtrin Dry Syrup

(Strawberry Flavor)

When mixed with water to specified volume, each 5 ml contains:

Amoxicillin Trihydrate equivalent to Amoxicillin Base 125 mg

Indications: Treatment of infections susceptible to gram-negative and gram-positive organisms, such as urinary tract infection, pneumonia, bacillary dysentery and endocarditis. To be used by the physician prescription.

Packaging: 50 x 60 ml

Antibiotics-Penicillins



Amoxtrin Grape Dry Syrup

(Grape Flavor)

When mixed with water to specified volume, each 5 ml contains:

Amoxicillin Trihydrate equivalent to Amoxicillin 125 mg

Indications: Due to susceptible gram-negative and gram-positive organisms, urinary tract infection, pneumonia, bacillary dysentery, and endocarditis. To be used by the prescription of physician or see enclosed insert.

Packaging: 50 x 60 ml

Antibiotics-Penicillins



Amoxtrin Strawberry Dry Syrup

(Strawberry Flavor)

When mixed with water to specified volume, each 5 ml contains:

Amoxicillin Trihydrate equivalent to Amoxicillin 250 mg

Indications: Due to susceptible gram-negative and gram-positive organisms, urinary tract infection, pneumonia, bacillary dysentery and endocarditis. To be used by the prescription of physician or see enclosed insert.

Packaging: 50 x 60 ml

Antibiotics-Penicillins



Amoxycillin Dry Syrup

(Strawberry Flavor)

When mixed with water to specified volume, each 5 ml (2 g) contains:

Amoxicillin Trihydrate equivalent to Amoxycillin Base 125 mg

Indications: Infection due to susceptible gram-negative and gram-positive organisms, urinary tract infections, pneumonia. To be used by the prescription of physician or see enclosed insert.

Packaging: 12 x 60 ml
50 x 60 ml

Antibiotics-Penicillins



Amoxycillin Grape Dry Syrup (Grape Flavor)

When mixed with water to specified volume, each 5 ml contains:

Amoxycillin Trihydrate equivalent to Amoxycillin Base 125 mg

Indications: Due to susceptible gram-negative and gram-positive organisms, urinary tract infection, pneumonia, bacillary dysentery, endocarditis. To be used by the prescription of physician or see enclosed insert.

Packaging: 12 x 60 ml
50 x 60 ml

Antibiotics-Penicillins



Amoxycillin Vanilla Dry Syrup (Vanilla Flavor)

When mixed with water to specified volume, each 5 ml contains:

Amoxycillin Trihydrate equivalent to Amoxycillin 250 mg

Indications: Infection due to susceptible gram-negative and gram-positive organisms, urinary tract infection, pneumonia, bacillary dysentery, endocarditis. To be used by the prescription of physician.

Packaging: 12 x 60 ml
50 x 60 ml

Antibiotics-Penicillins



Cecef Dry Syrup (Vanilla Flavor)

When mixed with water to specified volume, each 5 ml contains:

Cefaclor Monohydrate equivalent to Cefaclor 125 mg

Indications: For antibacterial.

Packaging: 12 x 60 ml

Antibiotics-Cephalosporins



Cecef-R Dry Syrup (Bubble Gum Flavor)

When mixed with water to specified volume, each 5 ml contains:

Cefaclor Monohydrate equivalent to Cefaclor 125 mg

Indications: For antibacterial.

Packaging: 12 x 60 ml

Antibiotics-Cephalosporins



Cefadril Strawberry Dry Syrup

(Strawberry Flavor)

When mixed with water to specified volume, each 5 ml contains:

Cefadroxil Monohydrate equivalent to Cefadroxil 250 mg

Indications: Treatment of infection caused by susceptible bacteria of the upper and lower respiratory tract, skin and soft tissue, genitourinary tract, osteomyelitis and septic arthritis infections.

Packaging: 50 x 60 ml

Antibiotics-Cephalosporins



Cloxatin Dry Syrup

(Orange Flavor)

Each 5 ml contains:

Cloxacillin Sodium equivalent to Cloxacillin 125 mg

Indications: Treatment of susceptible bacterial infections, notably penicillinase-producing staphylococci causing respiratory tract, skin and skin structure, bone and joint, urinary tract infections.

Packaging: 25 x 60 ml

Antibiotics-Penicillins



Colaxin Dry Syrup

(Strawberry Flavor)

When mixed with water to specified volume, each 5 ml contains:

Cefalexin Monohydrate equivalent to Cefalexin 125 mg

Indications: Infection of respiratory tract, skin, soft-tissue, bone, joint due to susceptible organisms such as streptococci, staphylococci, E.coli, N.gonorrhoea, P.mirabilis and Klebsiella spp.

Packaging: 12 x 60 ml

50 x 60 ml

Antibiotics-Cephalosporins



Colaxin-DS Dry Syrup

(Bubble Gum Flavor)

When mixed with water to specified volume, each 5 ml contains:

Cefalexin Monohydrate equivalent to Cefalexin 250 mg

Indications: Infection of respiratory tract, skin, soft tissue, bone, joint due to susceptible organisms such as streptococci, staphylococci, E.coli, N.gonorrhoea, P.mirabilis and Klebsiella spp.

Packaging: 50 x 60 ml

Antibiotics-Cephalosporins



Colaxin-O Dry Syrup (Orange Flavor)

When mixed with water to specified volume, each 5 ml contains:

Cefalexin Monohydrate equivalent to Cefalexin 125 mg

Indications: Infections of respiratory tract, skin, soft tissue, bone, joint due to susceptible organisms such as streptococci, staphylococci, E.coli, P.mirabilis and Klebsiella spp.

Packaging: 50 x 60 ml

Antibiotics-Cephalosporins



Colaxin-PL Dry Syrup (Grape Flavor)

When mixed with water to specified volume, each 5 ml contains:

Cefalexin Monohydrate equivalent to Cefalexin 250 mg

Indications: Infection of respiratory tract, skin, soft tissue, bone, joint due to susceptible organisms such as streptococci, staphylococci, E.coli, N.gonorrhoea, P.mirabilis and Klebsiella spp.

Packaging: 50 x 60 ml

Antibiotics-Cephalosporins



Sprays

Sprays



Analren Spray

Each 100 g contains:

Diclofenac Diethylamine 1.16 g equivalent to Diclofenac Sodium 1 g

Indications: Local treatment of traumatic inflammation of the tendons, ligaments, muscles and joints. Rheumatic diseases, osteoarthritis, periarthropathy.

Packaging: 12 x 60 ml

Nonsteroidal Anti-Inflammatory Drugs (NSAIDs)



Busocort Nasal Spray

(32 Micrograms Budesonide/Dose)

Each 1 ml contains:

Budesonide 0.32 mg

Indications: Seasonal allergic and allergic/non-allergic perennial rhinitis. Treatment of nasal polyps. Prevention of nasal polyps after polypectomy.

Packaging: 12 x 120 doses

Cough & Cold Preparations



Busocort Nasal Spray

(64 Micrograms Budesonide/Dose)

Each 1 ml contains:

Budesonide 0.64 mg

Indications: Seasonal allergic and allergic/non-allergic perennial rhinitis. Treatment of nasal polyps. Prevention of nasal polyps after polypectomy.

Packaging: 12 x 120 doses

Cough & Cold Preparations



Dipronase Nasal Spray

(50 Micrograms Beclomethasone Dipropionate/Dose)

Each 1 ml contains:

Beclomethasone Dipropionate 0.5 mg

Indications: Symptomatic treatment of seasonal or perennial rhinitis and to prevent recurrence of nasal polyps following surgery.

Packaging: 12 x 200 doses

Cough & Cold Preparations



Inmed Spray

Composition: Each ml contains:

Indometacin 8 mg

Indications: For the local relief of pain, inflammation and swelling.

Packaging: 12 x 50 ml

Nonsteroidal Anti-Inflammatory Drugs (NSAIDs)



Sifrin Nebulizer

Composition:

Oxymetazoline HCl 0.05% w/v

Indications: For temporary relief of nasal congestion associated with colds, hay fever, and sinusitis.

Packaging: 12 x 15 ml

Cough & Cold Preparations



Sifrin Pediatric Nebulizer

Composition:

Oxymetazoline HCl 0.025% w/v

Indications: For temporary relief of nasal congestion associated with colds, hay fever and sinusitis.

Packaging: 12 x 15 ml

Cough & Cold Preparations

Suppositories

Suppositories



Bisadyl Suppositories

Each suppository contains:

Bisacodyl 10 mg

Indications: Constipation and preparations for diagnostic procedures.

Packaging: 10 pcs

Laxatives & Purgatives



Children's Protemp Suppositories

Each suppository contains:

Paracetamol 120 mg

Indications: For the temporary relief of fever, minor aches, pains and headaches.

Packaging: 12 pcs

Analgesics & Antipyretics



Glymorin 1500 Suppositories

Each suppository contains:

Glycerin 1500 mg

Indications: Laxative.

Packaging: 10 pcs

Laxatives & Purgatives



Glymorin Suppositories

Each suppository contains:

Glycerin 2320 mg

Indications: Laxative.

Packaging: 10 pcs

Laxatives & Purgatives



Glymorin Children Suppositories

Each suppository contains:

Glycerin 1365 mg

Indications: Laxative.

Packaging: 10 pcs

Laxatives & Purgatives



Infants' Protamp Suppositories

Each suppository contains:

Paracetamol 80 mg

Indications: For the temporary relief of fever, minor aches, pains and headaches.

Packaging: 12 pcs

Analgesics & Antipyretics



Junior Protamp Suppositories


Each suppository contains:

Paracetamol 325 mg

Indications: For the temporary relief of fever, minor aches, pains and headaches.

Packaging: 12 pcs

Analgesics & Antipyretics



Proctyl Suppositories

Each suppository contains:

Hydrocortisone Acetate 7.5 mg

Zinc Oxide 250 mg

Benzocaine 40 mg

Indications: Internal and external hemorrhoids, itching and proctitis.

Packaging: 10 pcs

Anorectal Preparations



Protemp 250 Suppositories

Each suppository contains:

Paracetamol 250 mg

Indications: For the temporary relief of fever, minor aches, pains and headaches.

Packaging: 12 pcs

Analgesics & Antipyretics



Protemp 500 Suppositories

Each suppository contains:

Paracetamol 500 mg

Indications: For the temporary relief of fever, minor aches, pains and headaches.

Packaging: 12 pcs

Analgesics & Antipyretics



Volclonac 100 Suppositories

Each suppository contains:

Diclofenac Sodium 100 mg

Indications: Anti-rheumatic, anti-inflammatory, analgesic.

Packaging: 12 pcs

Nonsteroidal Anti-Inflammatory Drugs (NSAIDs)



LERD SINGH PHARMACEUTICAL FACT., LTD., PART.

922 SUKHUMVIT 50, BANGKOK 10260 THAILAND.

TEL. 0-2331-1958, 0-2331-1962

FAX : (662)3115628